

## REFERENCES

A & L Agricultural Laboratories. Agronomy handbook: Soil and plant analysis. Memphis, TN
A & L Agricultural Laboratories. Resource handbook: Foliar applied plant nutrition. Memphis, TN
Abdalla, D., & Childers, N. (1973). Calcium nutrition of peach and prune relative for growth, fruiting and fruit quality. <i>Journal of American society of horticultural science</i> . 98(5), p. 517-522.
Adams, F., & Martin, J. (1984). In Hauck, R. D., (Ed.). Nitrogen in crop production. Madison, WI: American Society of Agronomy.
Adams, L. (2014). Timing of nitrogen applications to optimise growth and yield without adversely affecting fruit storability & frost sensibility. Project Number: SF 137. Project #: SF 137. [Online]. <a href="http://www.hdc.org.uk/sites/default/files/research_papers/SF%20137_Report_Annual_2014.pdf">http://www.hdc.org.uk/sites/default/files/research_papers/SF%20137_Report_Annual_2014.pdf</a>
Admin/Editor. (2012). Good to Know: Preventing premature fruit drop in pears. <i>Good Fruit Grower</i> . May 1, 2012
Agrios GN (1997) <i>Plant Pathology</i> . Academic Press, San Diego. (USA)
AHDB. (2015). Predicting storage potential of apples using fruit mineral analysis. Department for Environment, Food, and Rural Affairs - Agriculture and Horticulture Development Board. United Kingdom. [Online]. <a href="http://apples.hdc.org.uk/">http://apples.hdc.org.uk/</a>
Albrecht, W. A. (1932). Calcium and hydrogen-ion concentration in the growth and inoculation of soybeans. <i>Journal of the American Society of Agronomy</i> . 24 (10): 793-806.
Albrecht, W. A. (1940, February). Saturation degree of soil and nutrient delivery to the crop. <i>Journal of the American society of soil science</i> . 32 (2): 148-153.
Albrecht, W. A. (1970, Spring, Summer) Plants--protected by fertile soil. <i>Journal of applied nutrition</i> . 22 (1-2), p. 23-31.
Albrecht, W. A. (1975). In C. Walters, (ed.), <i>The Albrecht papers</i> . Raytown, MO:Acres U.S.A.
Albrecht, W., & Smith, G. (1952). Soil acidity as calcium (fertility) deficiency. Columbia, MO: University of Missouri, College of Agriculture Experiment Station Research bulletin # 513.
Alexander, E. B. (1990, March). Mineralogy and classification of soils on serpentinized peridotite of the Trinity Ophiolite, California. <i>Soil science</i> . 149 (3): 138-143.
Allaway, W. H. (1945). Availability of calcium from different types of colloids as affected by degree of calcium saturation. <i>Soil science</i> . 59:207-217.
Altieri, M. (2005). <i>Manage Insects On Your Farm: A Guide to Ecological Strategies</i> . Sustainable Agriculture Network handbook series – book 7. Sustainable Agriculture Research & Education [Online]. <a href="http://www.sare.org/publications/insect/chapter4_table2.htm">http://www.sare.org/publications/insect/chapter4_table2.htm</a>
Amiri, E. M., Fallahi, E., & Safari, G. (2009). Effects of preharvest calcium sprays on yield, quality and mineral nutrient concentrations of ‘Asgari’ table grape. <i>International Journal of Fruit Science</i> , 9(3), 294-304.
Aphids, L. (2013). Hemiptera PLANOCOCCUS MEALYBUGS. <i>Grape Pest Management</i> , Bettiga, L. (ed). 3343, 24.
Azza, M. K., & Korra, A. K. M. (2010). Management Of Shot-Hole Disease of Stone Fruit Trees Caused By <i>Stigmia carpophila</i> . <i>J. Plant Prot. and Path.</i> , Mansoura Univ., Vol. 1 (12): 973 - 989,
Bachteler, K., Riedel, M., Merkt, N., Schies, W., Fröhlin, J., & Wünsche, J. (2014). Effects of Foliar Fertilization on Incidence of Berry Shriveling and Bunch Stem Necrosis in <i>Vitis vinifera</i> L. Cvs ‘Pinot Blanc’ and ‘Zweigelt’. <i>Journal of Plant Nutrition</i> , (just-accepted), 00-00.
Bailey, J. S. (1995). Liming and nitrogen efficiency: some effects on increased calcium supply and increased soil pH in nitrogen recovery by perennial rye grass. <i>Communications in soil science and plant analysis</i> . 26 (7-8): 1223-1246.

Baker, K. F., and R. J. Cook. 1974. Biological Control of Plant Pathogens, W. H. Freeman and Co, San Francisco, California. 433 pp. (Book, reprinted in 1982, Amer. Phytopathol. Soc., St. Paul, MN).
Balestra, G. M. and Varvaro, L. (1997). <i>Pseudomonas syringae</i> pv. <i>syringae</i> causal agent of disease on floral buds of <i>Actinidia deliciosa</i> (A. Chev) Liang et Ferguson in Italy. <i>Journal of Phytopathology</i> , 145, 375-378
Barber, S. A. (1984). Nutrient balance and nitrogen use. In R.D. Hauck, (Ed.), <i>Nitrogen in crop production</i> . Madison, WI. American Society of Agronomy, Crop Science Society of America, Soil Science Society of America.
Barzegar, A., Murray, R., Churchman, G. & Rengasamy, B. (1994). The strength of remoulded soils as affected by exchangeable cations and dispersible clay. <i>Australian journal of soil research</i> . 32:185-199.
Basile, B.; Forlani, M.; Reidel, E.; Weinbaum, S.; de Jong, T. (2002). Effect of different potassium fertilization levels on photosynthesis and light interception of almond trees [ <i>Prunus amygdalus</i> Stokes - California]. <i>Atti VI Giornate Scientifiche SOI</i> . V. 1 p. 209-210. Scientific meeting of Italian Horticultural Society], Spoleto, Perugia (Italy), 23-25 Apr 2002
Bastas, K., (2016) Role of nutrients for fire blight disease management within sustainable and organic agriculture approaches. <i>Proceedings Book, 3rd International Conference on Sustainable Agriculture and Environment (3rd ICSAE) September 26-28, 2016, Warsaw, POLAND</i>
Batjer, L., Rogers, B., & Thompson, A. (1952). Fertilizer applications as related to N,P,K,Ca, and Mg utilization by apple trees. <i>Proceedings American society horticultural science</i> . 60:1-6.
Bavaresco, L., & Eibach, R. (1937). Investigations on the influence of N fertilizer on resistance to powdery mildew ( <i>Oidium tuckeri</i> ) downy mildew ( <i>Plasmopara viticola</i> ) and on phytoalexin synthesis in different grapevine varieties. <i>Vitis</i> , 2, 192-200.
Bavaresco, L., Civardi, S., Pezzutto, S., Vezzulli, S., & Ferrari, F. (2005). Grape production, technological parameters, and stilbenic compounds as affected by lime-induced chlorosis. <i>Vitis</i> , 44(2), 63-65.
Bayram Murat Asma, Sinan Colak, Yasar Akca and Caglar Genc. (2007). Effect of Fertilizer Rate on the Growth, Yield and Fruit Characteristics of Dried Apricot (cv. Hacihaliloglu) . <i>Asian Journal of Plant Sciences</i> , 6: 294-297.
BCFGA. (2017). Replant Disease. In: <i>BC Tree Fruit Production Guide</i> . British Columbia Fruit Growers Association. February, 2017. [Online]. <a href="http://www.bctfpg.ca/pest_guide/info/124/">http://www.bctfpg.ca/pest_guide/info/124/</a>
Bear, F. E. (Ed.). (1964). <i>Chemistry of the soil</i> . New York: American Chemical Society.
Bear, F. E., Prince, A. L., & Malcolm, J. L. (1945). Potassium needs of New Jersey soils. New Brunswick, N.J. : New Jersey Agricultural Experiment Station.
Beard, F., & Wormald, H. (1936). Bacterial canker of Plum trees in relation to nutrition. <i>Experimental results in sand cultures</i> . <i>Res E. Malling Res. Stn.</i> , 1935, 146-152.
Beers, E.H., Brunner, J.F., Willet, M.J. and Warner, G.M. (1993) <i>Orchard Pest Management: A Resource Book for the Pacific Northwest</i> . Yakima, WA: Good Fruit Grower.
Bell, F. G. (1995). Lime stabilization of clay minerals and soils. <i>Engineering geology</i> . 42 (4): 223-237.
Benge, J. R., Banks, N. H., Tillman, R., & De Silva, H. N. (2000). Pairwise comparison of the storage potential of kiwifruit from organic and conventional production systems.
Bennett, W. (Ed.). (1993). <i>Nutrient deficiencies &amp; toxicities in crop plants</i> . St. Paul, MN: American Phytopathological Society.
Benson, R. (1977). <i>Great winemakers of California</i> . Santa Barbara, Ca: Capra Press.
Bertrand, P., English, H., & Carlson, R. (1976). Regulation of soil physical and fertility properties to

the occurrence of <i>Cytospora</i> canker in French prune orchards. <i>Phytopathology</i> . 66:1321-1324.
Bethell, R. (1977). Pear pest management. Richmond, Ca: University of California Agricultural Sciences Publications.
Bethell, R. (Ed.). (1978). Pear pest management. Richmond, Ca: University of California.
Bettiga, L., Gubler, D., Marois, J., Bledsole, A. (1989, March-April). Integrated control of botrytis bunch rot of grape. <i>California agriculture</i> . p. 9-11.
Bhardwaj, S. P., Sharma, S., & Bhardwaj, S. (2003, October). Effect of Host Plant Nutrition on Development and Population Build-up of European Red Mite [ <i>Panonychus ulmi</i> (Koch)] on Apple. In VII International Symposium on Temperate Zone Fruits in the Tropics and Subtropics-Part Two 696 (pp. 399-405).
Biggs, A. (1989). Integrated Approach to Controlling <i>Leucostoma</i> Canker of Peach in Ontario. <i>Plant Disease/November 1989 V. 73 (11)</i> . Pg. 869-874.
Biggs, A. (1999). Effects of calcium salts on apple bitter rot caused by two <i>Colletotrichum</i> spp. <i>Plant Disease</i> . V 83:1001-1005.
Biggs, A. R., El-Kholi, M. M., & El-Neshawy, S. M. (1994). Effect of calcium salts on growth, pectic enzyme activity, and colonization of peach twigs by <i>Leucostoma persoonii</i> . <i>Plant disease</i> , 78(9), 886-889.
Biggs, A. R., Ingle, M., & Solihati, W. D. (1993). Control of <i>Alternaria</i> infection of fruit of apple cultivar Nittany with calcium chloride and fungicides. <i>Plant disease</i> , 77(10), 976-980.
Biggs, A., El-Kholi, M., El-Neshawy, S., Nickerson, R. (1997). Effects of calcium salts on growth, polygalacturonase activity, and infection of peach fruit by <i>Monilinia fructicola</i> . <i>Plant Dis.</i> 81:399-403
BioCycle. (1987, May/June). <i>Compost</i> . 27 (4):57.
BioCycle. (1995, February). Successful bioremediation with compost. 36 (2): 57-59.
Bishop, P., & Godfrey, C. (1983, July-August). Nitrogen transformations during sludge composting. <i>Biocycle</i> . 24 (4): 34-39.
Bisiach, M., Minervini, G., & Zerbetto, F. (1986). Possible integrated control of grapevine sour rot. <i>Vitis</i> , 25 (1), 18-128.
Blanpied, G.D., Bramlage, W.J., Dewey, D.H., LaBelle, R.L., Massey, L.M., Mattus, G.E., Stiles, W.C. & Watada, A.E. (1978). A standardized method for collecting apple pressure test data. <i>New York's Food &amp; Life Sciences Bulletin</i> 74; 1-8
Boselli, M., Bavaresco, L., Fregoni. (1985). Possibilities of control of the stem dieback ( <i>Stiellaehme</i> ) of grape by foliar applications. <i>Vignevini, Bologna</i> . V12 (5) 39-45.
Brackmann, A., Ceretta, M., & Vizzotto, M. (2001). Use Of Calcium Chloride and Lime to Control Postharvest Rot In Apples. <i>Revista Brasileira de Fruticultura</i> , 23(2), 298-301.
Braun, P., Fuller, K., McRae., Fillmore, S. (2010). Response of 'Honeycrisp®' Apple Trees to Combinations of Pre-plant Fumigation, Deep Ripping, and Hog Manure Compost Incorporation in a Soil with Replant Disease. <i>HortScience</i> November 2010 vol. 45 no. 11 1702-1707
Brechbuhler, C. (1975). Results of investigations aiming at the combat of " <i>Stiellaehme</i> " (m. franz. u. engl. Zus.). <i>Mitt. Klosterneuburg</i> . V25 19-24.
Breukel, L., Post, A. (1959). The Influence Of The Manurial Treatment of Orchards on the Population Density of <i>Metatetranychus Ulmi</i> (Koch) (Acari, Tetranychidae). <i>Entomologia Experimentalis et Applicata</i> . March 1959. V 2 (1), Pg 38-47
Brown, J. R. (Ed.). (1987). Soil testing: sampling, correlation, calibration, and interpretation. Madison, WI: Soil Science Society of America.
Brown, M. W., & Welker, W. V. (1992). Development of the phytophagous arthropod community on apple as affected by orchard management. <i>Environmental entomology</i> , 21(3), 485-492.

Buchner, P. (ed). (2012). Prune Production Manual. University of California Agriculture and Natural Resources, Publication 3507. Pg. 153.
Burkhart, D., Shearer, P. (1990). Organic farming in the Hood River area. Mid-Columbian Agricultural Research & Extension Center. In: Pear growing in the 1990's – Proceedings of a short course, November 27-29, 1990. University of California Cooperative Extension, Lake County, Ca.
Burnham, T. J. (1997, May). Biological prune systems under trial. <i>Tree Fruit</i> . 6(3): 3-5.
Burnmeister, D., & Dilley, D. (1993). Characterization of Mg+2 induced bitter-pit-like symptoms on apples: a model system to study bitter-pit initiation and development. <i>J Agri Food Chemistry</i> 41:1203-1207
Buskienè, L., & Uselis, N. (2008). The influence of nitrogen and potassium fertilizers on the growth and yield of raspberries cv. 'Polana'. <i>Agronomy research</i> , 6(1), 27-35.
Butler, E. J. and Jones, S. G. (1955). "Plant Pathology." Macmillan, London. In: Graham, R. D. (1983). Effects of nutrient stress on susceptibility of plants to disease with particular reference to the trace elements. <i>Advances in botanical research</i> , 10, 221-276.
Cacka, J., & Sanguaneko, P. (2012). Calcium Influence on Hazelnut Quality and Yields in Oregon. In VIII International Congress on Hazelnut 1052 (pp. 187-193). March, 2012.
Cahoon, G. (1985). Potassium nutrition in grapes. In Munson, R. (Ed.). Potassium in agriculture. Madison, Wis. : American Society of Agronomy.
California Department of Food and Agriculture. (1975-1995). Fertilizing materials annual tonnage report. Sacramento, Ca: Feed, Fertilizer and Livestock Drugs Division.
California Department of Food and Agriculture. (1996). Fertilizing materials licensee list. Sacramento, Ca: Agricultural Commodities and Regulatory Services.
California Department of Food and Agriculture. (1996). Fertilizing materials laws and regulations. Sacramento, Ca: Feed, Fertilizer and Livestock Division.
Cameron, J. S., & Dennis Jr, F. G. (1986). The Carbohydrate-Nitrogen Relationship And Flowering/Fruiting: Kraus And Kraybill Revisited. <i>Hortscience</i> , 21(5), 1099-1102.
Cao, T., Duncan, R., McKenry, M., Shackel, K., DeJong, T., and Kirkpatrick, B. (2005). Interaction Between Nitrogen-Fertilized Peach Trees and Expression of syrB, a Gene Involved in Syringomycin Production in Pseudomonas syringae pv. Syringae. <i>American Pathological Society</i> . Vol. 95, No. 5. Pg. 581-86.
Cao, T., Duncan, R., McKenry, M., Shackel, K., DeJong, T., Kirkpatrick, B. (2005). Interaction Between Nitrogen-Fertilized Peach Trees and Expression of syrB, a Gene Involved in Syringomycin Production in Pseudomonas syringae pv. Syringae. <i>Pathology</i> . Vol. 95, No. 5. American Phytopathological Society.
Cao, T., Duncan, T., McKenry, M., Shackel, K., DeJong, T., Kirkpatrick, B. (2005). Interaction Between Nitrogen-Fertilized Peach Trees and Expression of syrB, a Gene Involved in Syringomycin Production in Pseudomonas syringae pv. Syringae. <i>Phytopathology</i> 95:581-586.
Cao, T., M Dejong, T., A Shackel, K., C Kirkpatrick, B., & Johnson, R. S. (2013). Influence of rootstock, temperature and incubation duration on bacterial canker severity caused by Pseudomonas syringae pv. syringae in peach. <i>Fruits</i> , 68(01), 45-55.
Cao, T., McKenry, M., Duncan, R., DeJong, T., Kirkpatrick, B., and Shackel, K. (2006). Influence of ring nematode infestation and calcium, nitrogen, and indoleacetic acid applications on peach susceptibility to Pseudomonas syringae pv. syringae. <i>Phytopathology</i> 96:608-615.
Capps, E. (1999). The Relationship Between Mineral Nutrition And Late-Season Bunch Stem Necrosis Of Cabernet Sauvignon (Vitis Vinifera L.) Grapevines. MS Thesis: Virginia Polytechnic Institute and State University.
Carroll, J., Pritts, M., & Heidenreich, C. (2016). 2016 Organic Production and IPM Guide for

Blueberries.
Carter, M., Webster, G., & Cairns, R. (1979). Calcium deficiency in some solonchic soils of Alberta. <i>Journal of Soil Science</i> . 30: 161-174.
Chambers, K.R., Van Der Merwe, G.G., Fourie, J.F. & Ferrandi, C, (1993). Botrytis rot of table grapes as influenced by different levels of nitrogen applied to soil. <i>Decid. Fruit Grow</i> . 43(2), 64-67.
Chapman, H. D. (Ed.). (1966). Diagnostic criteria for plants and soils. Riverside, Ca: University of California.
Chardonnet, C., Doneche, B. (1995). Relation between calcium content and resistance to enzymatic digestion of the skin during grape ripening. <i>Vitis</i> . V34 (2) 95-98. Univ. de Bordeaux II, Inst. d'Oenologie, F-33405 Talence, France
Chase, F., Corke, C. & Robinson, J. (1968). Nitrifying bacteria in soil. In: <i>Ecology and Soil Bacteria: Grey &amp; Parkinson (eds)</i> . Toronto University Press. Pg 593-611.
Chérif M and Boubaker A (1997) Incidence of cultural practices and biological control agents on Botrytis bunch rot of grapes. 10th Congress of the Mediterranean Phytopathological Union, Montpellier, France, pp 681–687
Choné, X., Van Leeuwen, C., Chery, P. H., & Ribéreau-Gayon, P. (2017). Terroir influence on water status and nitrogen status of non-irrigated Cabernet Sauvignon ( <i>Vitis vinifera</i> ). Vegetative development, must and wine composition (example of a Medoc top estate vineyard, Saint Julien area, Bordeaux, 1997). <i>South African Journal of Enology and Viticulture</i> , 22(1), 8-15.
Churchman, G. J., Skjemstad, J. O., & Oades, J. M. (1993). Influence of clay minerals and organic matter on effects of sodicity on soils. <i>Australian journal of soil research</i> . 31 (6): 779-800.
Claypool, L. L. (1975). Plant Nutrition and Deciduous Fruit Crop Quality. <i>HortScience</i> . 10: 45-47.
Claypool, L. L., Uriu, K., and Lasker, P. F. (1972). Split-Pit of "Dixon" Cling Peaches in Relation to Cultural Factors. <i>J. Am. Soc. Hort. Sci</i> . 97: 181-185.
Cline, R. (1980). Orchard management and peach canker. Peach Canker Workshop Proceedings. Harrow, Agriculture Canada, Ont. Pg 82-86.
Cline, R.A. 1980. Influence Of Sources, Rates And Times Of Soil Application Of Nitrogen On Apple Tree Performance And Fruit Quality In Ontario, Canada. <i>Acta Hort. (Ishs)</i> 92:286-286 <a href="http://Www.Actahort.Org/Books/92/92_38.Htm">Http://Www.Actahort.Org/Books/92/92_38.Htm</a>
Cline, S. (1982). Developments in disease control of walnut anthracnose. <i>Black Walnut for the Future</i> . USDA For. Serv., Gen. Tech. Rep. NC-74, 35-37.
Cocco, A., Marras, P. M., Muscas, E., Mura, A., & Lentini, A. (2014). Variation of life-history parameters of <i>Planococcus ficus</i> (Hemiptera: Pseudococcidae) in response to grapevine nitrogen fertilization. <i>Journal of Applied Entomology</i> .
Cocucci, S., Morgutti, S., Cocucci, M., Scienza, A. (1988). A possible relationship between stalk necrosis and membrane transport in grapevine cultivars Source: <i>Scientia Horticulturae</i> , Amsterdam. V34 67-74.
Colrat S, Desqarte C, Latche A, Klæbe A, Bouzayen M, Fallot J, Roustan JP (1999) Enzymatic detoxification of eutypine, a toxin from <i>Eutypa lata</i> , by <i>Vitis vinifera</i> cells: partial purification of an NADPH-dependent aldehyde reductase. <i>Planta</i> 207:544–550
Colrat, S., Deswarte, C. Latché, A. Klæbé, A. Bouzayen, M., Fallot, J. & Roustan, J. (1999). Enzymatic detoxification of eutypine, a toxin, from <i>Eutypa lata</i> , by <i>Vitis vinifera</i> cells: Partial purification of an NADPH-dependent aldehyde reductase. <i>Planta</i> 207:544-550.
<i>Communications in soil science and plant analysis</i> . 23 (1-2):165-174.
Conradie, W. J., & Saayman, D. (1989). Effects of Long-Term Nitrogen, Phosphorus, and Potassium Fertilization on Chenin blanc Vines. II. Leaf Analyses and Grape Composition. <i>American Journal</i>

of Enology and Viticulture, 40(2), 91-98.
Conway, W., Gross, K., Boyer, C., & Sams, C. (1988). Inhibition of <i>Penicillium expansum</i> Polygalacturonase Activity by Increased Apple Cell Wall Calcium. <i>Phytopathology</i> 78:1052-1055.
Conway, W., Sams, C., (1984). Possible mechanisms by which postharvest calcium treatment reduces decay in apples. <i>Phytopathology</i> . Vol. 74, no. 2, pp. 208-210. 1984
Conway, W., Sams, C., Wang, C., Abbott, J. (1994). Additive Effects of Postharvest Calcium and Heat Treatment on Reducing Decay and Maintaining Quality in Apples. <i>J. AMER. Soc. HORT. SCI.</i> 119(1):49-53. 1994.
Conway, W.S. 1989. Altering nutritional factors after harvest to enhance resistance to postharvest disease. <i>Phytopathology</i> 79:1384-1387.
Cook, J., Ward, W., & Wicks, A. (1983). Phosphorus deficiency in California vineyards. <i>California agriculture</i> . 37 (5-6): 16-18.
Cooper, H. P., Wilson, J. K., & Barron, J.H. (1929, June). Ecological factors determining the pasture flora in the northeastern United States. <i>Journal of the American society agronomy</i> . 21 (6): 607-627.
Cottenie, A. (1980) Soil and plant testing as a basis of fertilizer recommendations. <i>FAO soils bulletin</i> 38/2. Rome: United Nations.
Crisosto, C. H., & Smilanick, J. L. (2004). Grape (table). <i>The Commercial Storage of Fruits, Vegetables and Florist and Nursery Stocks</i> . (Eds: KC Gross, C. Yi Wang, M. Saltveit), <i>Agricultural Handbook</i> , (66), 507.
Crisosto, C., Johnson, S., Daane, K., Michailides, T. Crisosto, G., Garner, D. (1994). Skin Nitrogen Level Affects Fruit Red Color and Rate of Water Loss in 'Fantasia' Nectarine ( <i>Prunus Persica</i> L., Batch, Var Nectarine). In: Crisosto, c. (Ed). <i>Central Valley Postharvest Newsletter: Cooperative Extension, University Of California March 1994</i> . Vol. 3, No. 1. Parlier, Ca.
Crisosto, J. Mitchell, J., (2002). <i>Postharvest Technology of Horticultural Crops</i> . Kader, A. (ed). UCNAR Publications 3311, 49.
CSWA., WI., CAWG. (2012). <i>California Code of Sustainable Winegrowing Workbook</i> (3rd ed). California Sustainable Winegrowing Alliance, Wine Institute, and California Association of Winegrape Growers. [Online] <a href="https://www.sustainablewinegrowing.org/swpworkbook.php">https://www.sustainablewinegrowing.org/swpworkbook.php</a>
Cuquel, F. L., Motta, A. C. V., Tutida, I., & Mio, L. L. M. D. (2011). Nitrogen and potassium fertilization affecting the plum postharvest quality. <i>Revista Brasileira de Fruticultura</i> , 33(SPE1), 328-336
Cuquel, F., Motta, A.; Tutida, I., Mio, L. (2011). Nitrogen and Potassium Fertilization Affecting the Plum Postharvest Quality. <i>Rev. Bras. Frutic.</i> Vol.33, N.Spe1, Pp. 328-336. Issn 0100-2945. [Online]. <a href="http://www.scielo.br/pdf/rbf/v33nspe1/a41v33nspe1.pdf">http://www.scielo.br/pdf/rbf/v33nspe1/a41v33nspe1.pdf</a>
Curtin, D. (1995). Effects of incubation and pH on soil solution and exchangeable cation ratios. <i>Soil Science Society of America Journal</i> . 59 (4): 1006-1011.
Curtin, D. Steppuhn, H. & Selles, F. (1994, May/June). Effects of magnesium on cation selectivity and structural stability of sodic soils. <i>Soil science society of America journal</i> . 58 (3):730-737.
Daane, K., & Costello, M. (2000). Variegated and western grape leafhoppers. <i>Raisin Production Manual</i> , 3393, 173.
Daane, K., Almeida, R., Bell, V., Walker, J., Botton, M., Fallahzadeh, M., Mani, M., Miano, J., Sforza, R., Walton, V., Zaviezo, Z. (2012). <i>Biology and Management of Mealybugs in Vineyards</i> . N.J. Bostanian et al. (eds.), <i>Arthropod Management in Vineyards: Pests, Approaches, and Future Directions</i> , DOI 10.1007/978-94-007-4032-7_12,
Daane, K., Johnson, R., Michailides, T., Crisosto, C., Dlott, J., Ramirez, H., Yokota, G., Morgan, D. (1995). Excess nitrogen raises nectarine susceptibility to disease and insects. <i>California</i>

Agriculture, 49(4), 13-18.
Daane, L. et al (2002). Investigation of Grape Mealybug Population Dynamics to forecast and Prevent Outbreaks and Improve Control. Research and report for the California Table Grape Commission.
Dama V. & Murthy, K.V.M.K. (2003). Management of anthracnose disease with chemical salts. Plant Protection Bulletin (Faridabad) 55 (3/4) 19-22
Daugherty, M., Briggs, C., Welter, S. (2007). Bottom-up and top-down control of pear psylla ( <i>Cacopsylla pyricola</i> ): Fertilization, plant quality, and the efficacy of the predator <i>Anthocoris nemoralis</i> Biological Control. V 43, (3), December 2007, Pg. 257–264
Day, K. R. (1997). Orchard factors affecting postharvest stone fruit quality. HortScience, Vol 32(5). August 1995
Day, K., Crisosto, C. (1993). Management and Control of Bitter Pit in Apples. In: Central Valley Postharvest Newsletter Cooperative Extension University of California. C. Crisosto (Ed). February 1993. Vol. 2, No. 1. Kearney Agricultural Center, Parlier, Ca.
Defoliation and necrosis of shoot apex in grapevine, demonstration of a calcium deficiency. In: Proceedings - OIV - 3e Symposium International sur la Physiologie de la Vigne, Bordeaux 1986, pp. 88-92.
Delas J, Molot C and Soyer JP (1991) Effects of nitrogen fertilization and grafting on the yield and quality of the crop of <i>Vitis vinifera</i> cv. Merlot. In: Rantz J (ed.) Proceedings of the International Symposium on Nitrogen in Grapes and Wine, pp. 242-248
Delas J., Molot C., Soyer JP. (1984) Effect of rootstock, load and excessive nitrogen fertilization on the behavior of Merlot in soil of Graves in Bordelais. Agriculture and Viticulture 101: 136-139
Delgado, R., Martín, P., del Álamo, M., González, M. (2004). Changes in the phenolic composition of grape berries during ripening in relation to vineyard nitrogen and potassium fertilisation rates. Journal of the Science of Food and Agriculture. V84:7. Pp. 623–630, May 2004
Demirsoy, L., Bilgener, S. (1998). The Effects of Preharvest Calcium Hydroxide Applications on Cracking in 0900 ‘Ziraat’, ‘Lambert’ And ‘Van’ Sweet Cherries. ISHS Acta Horticulturae 468: III International Cherry Symposium. 1 July 1998. ISBN 978-90-66058-60-6.
Denno, R. F. (1984). The role of host plant condition and nutrition in the the migration of phytophagous insects. International Conference on the Movement and Dispersal of Biotoxic Agents. D. R. Mackenzie (Ed). Baton Rouge, LA: Claitor's Publishing. Oct 17-19, 1984.
Dexter, A. & Chan, K. (1991). Soil mechanical properties as influenced by exchangeable cations. Journal of soil science. 42:219-226.
Díaz-Mula, H. M., Valero, D., Guillén, F., Valverde, J. M., Zapata, P. J., & Serrano, M. (2013, June). Postharvest treatment with calcium delayed ripening and enhanced bioactive compounds and antioxidant activity of 'Cristalina' sweet cherry. In VII International Cherry Symposium 1161 (pp. 511-514).
Dichio, B., Remorini, D. & Lang, S. (2003). Developmental Changes in Xylem Functionality in Kiwifruit: Implications for Fruit Calcium Accumulation. Acta Hort. (ISHS) 610:191-195.
Dilmaghani, M. R., Malakouti, M. J., Neilsen, G. H., & Fallahi, E. (2005). Interactive effects of potassium and calcium on K/Ca ratio and its consequences on apple fruit quality in calcareous soils of Iran. Journal of Plant Nutrition, 27(7), 1149-1162.
Dixon, R. C. (1989, May). Crop nutrient news: Nitrogen crisis update. Agribusiness-Fieldman. Pg. 4.
Dixon, R. C. (1990, July). Crop nutrient news. Agribusiness-Fieldman. Pg. 5.
Doll, David. (2009). Inquiries about Bacterial Canker on Almond. The Almond Doctor. University of California Cooperative Extension Service. December 15, 2009. [Online]. <a href="http://thealmonddoctor.com/2009/12/15/inquiries-about-bacterial-canker-on-almond/">http://thealmonddoctor.com/2009/12/15/inquiries-about-bacterial-canker-on-almond/</a>

Dris, R., Niskanen, R. & Fallahi, E. (1999). Relationships between leaf and fruit minerals and fruit quality attributes of apples grown under northern conditions. <i>Journal of Plant Nutrition</i> . V. 22 (12), 1999, pages 1839-1851
Dundon, C. G., Smart, R. E., & McCarthy, M. G. (1984). The effect of potassium fertilizer on must and wine potassium levels of Shiraz grapevines. <i>American journal of enology and viticulture</i> . 35 (4). p. 200-205.
Dusen (Eds.), <i>Global Perspectives on Agroecology and Sustainable Agricultural Systems: Proceedings of the 6th International Scientific Conference of the International Federation of Organic Agriculture Movements Vol. 2.</i> (pp. 629-636). Sta. Cruz, CA: University of Calif.
Dutt, G., Olsen, M., & Stroehlein, J. (1986, March) Fighting root rot in the border wine belt. <i>Wines &amp; vines</i> . P. 40-41.
Eckert, D. J. (1987). Soil test interpretations: basic cation saturation ratios and sufficiency levels. In J.R. Brown (Ed.). <i>Soil testing: sampling, correlation, calibration, and interpretation</i> . Madison, WI: Soil Science Society of America.
Eckert, D. J., & McLean, E. O. (1981) Basic cation saturation ratios as a basis for fertilizing and liming agronomic crops. I. growth chamber studies. <i>Agronomy Journal</i> . 73 (5): 795-799.
Ehret, D. L., Frey, B., Forge, T., Helmer, T., Bryla, D. R. and Zebarth, B. J. (2014). Effects of nitrogen rate and application method on early production and fruit quality in highbush blueberry. <i>Can. J. Plant Sci.</i> 94: 1165–1179
Eifert, A., Szoeki, L., Varnai, M., Nagy, E. (1986). The effect of liming on the frost resistance of grape buds. <i>Szoeloetermesztes es Boraszat</i> . V8 (1-2) 34-36.
Elmer, P., Spiers, T., Wood, P. (2007). Effects of pre-harvest foliar calcium sprays on fruit calcium levels and brown rot of peaches. <i>Crop Protection</i> . V. 26 (2007). Pg. 11-18.
El-Motty, E., El-Shiekh, M., Mohamed, F., & Shahin, M.. (2007). Effect of preharvest calcium and boric acid treatments on characteristics and storability of ‘Canino’apricot fruits. <i>Research Journal of Agriculture and Biological Sciences</i> , 3(5), 430r439.
Embleton, T. W., Matsumura, M., Stolzy, L. H. et al. (1986) Citrus nitrogen fertilizer management, groundwater pollution, soil salinity and nitrogen balance. <i>Applied Agricultural Research</i> . (1)1.
Environmental Protection Agency. (1992). <i>Manual: wastewater treatment/disposal for small communities.</i> (EPA Publication No. 625/R-92/005). Washington, DC: Author.
Environmental Protection Agency. (1993). <i>Manual: nitrogen control.</i> (EPA Publication No. 625/R-93/010). Washington, DC: Author.
Fallahi E., Mohan S. (2000). Influence of nitrogen and rootstock on tree growth, precocity, fruit quality, leaf mineral nutrients, and fire blight in ‘Scarlet Gala’ apple. <i>HortTech</i> 2000; 10(3):589-592.
Fallahi, E. (1993) Pruning and nitrogen effects on elemental partitioning and fruit maturity in 'Bing' cherry. <i>Journal of plant nutrition</i> , 16 (5):753-763.
Fallahi, E., & Mohan, S. K. (2000). Influence of Nitrogen and Rootstock on Tree Growth, Precocity, Fruit Quality, Leaf Mineral Nutrients, and Fire Blight in Scarlet Gala'Apple. <i>HortTechnology</i> , 10(3), 589-592.
Fallahi, E., Conway, W. S., Hickey, K. D., & Sams, C. E. (1997). The role of calcium and nitrogen in postharvest quality and disease resistance of apples. <i>HortScience</i> , 32(5), 831-835.
Fallahi, E., Fallahi, B., & Seyedbagheri, M. M. (2006). Influence of humic substances and nitrogen on yield, fruit quality, and leaf mineral elements of ‘Early Spur Rome’apple. <i>Journal of plant nutrition</i> , 29(10), 1819-1833.
Felipini, R. B., Boneti, J. I., Katsurayama, Y., Neto, A. C. R., Veleirinho, B., Maraschin, M., & Di Piero, R. M. (2016). Apple scab control and activation of plant defence responses using potassium



phosphite and chitosan. <i>European journal of plant pathology</i> , 145(4), 929-939.
Feliziani, E. Santini, M., Landi, L., Romanazzi, G. (2013). Pre- and postharvest treatment with alternatives to synthetic fungicides to control postharvest decay of sweet cherry. <i>Postharvest Biology and Technology</i> . V 78:133–138
Ferguson, I. B., & Watkins, C. B. (1992). Crop load affects mineral concentrations and incidence of bitter pit in Cox's Orange Pippin apple fruit. <i>Journal of the American Society for Horticultural Science</i> , 117(3), 373-376.
Ferree, D.C., Darnell, R.L., Fox, R.D., Brazee, R.D. & Wittmoyer, R.E. (1984). Environmental and nutritional factors associated with scarf skin of 'Rome Beauty' apples. <i>J. Am. Soc. Hortic. Sci.</i> 109; 507-513.
Filip, I. (1985). Results of the integrated control of the grape moth ( <i>Lobesia botrana</i> ) at Murfatlar. <i>Buletinul Informativ al Academiei de Stiinte Agricole si Silvice (Romania)</i> .
Francine Lorena Cuque, F., Motta, A.C, Tutida, I., De Mio, L.L. (2011). Nitrogen and potassium fertilization affecting the plum postharvest quality. <i>Rev. Bras. Frutic.</i> [online]. 2011, vol.33, n.spel, pp. 328-336.
Fregoni, M., & Scienza, A. In Munson, R. (Ed.). (1985). Potassium in agriculture. Madison, Wis. : American Society of Agronomy.
Fritzsche, R., Wolfgang, H., Reiss, E., & Thiele, S. (1980). Untersuchungen zu den Ursachen sortenbedingter Befallsunterschiede von Apfelbäumen mit <i>Oligonychus ulmi</i> Koch. <i>Archives of Phytopathology &amp; Plant Protection</i> , 16(3), 193-198.
Fulcher, A., & Bowers, H. (2013). W289-A IPM QuickFacts Series: Fire Blight. Tennessee Research and Creative Exchange
Fulcher, A., Gauthier, N. W., Klingeman, W. E., Hale, F., & White, S. A. (2015). Blueberry Culture and Pest, Disease, and Abiotic Disorder Management during Nursery Production in the Southeastern US: A Review1. <i>J. Environ. Hort.</i> , 33(1), 33-47.
Gallaher, R., Perkins, H., Jones, J. (1975). Calcium concentration and distribution in healthy and decline peach tree tissues. <i>Hort. Science</i> , 10(2): 134-137.
Garcia-Serna, J., Juarez, M., Jorda, J., & Sanchez-Andreu, J. (1996). Influence of organic compounds on nitrogen-fertilizer solubilization. <i>Communications in soil science and plant analysis</i> . 27 (11/12): 2485-2491.
Garcin A., Duchesne D., (2001). Walnut blight and apical necrosis. <i>Acta Horticulturae</i> . V705: pp. 447-449.
Gascho, G. , Parker, M., & Gaines, T. (1996). Reevaluation of suspension solutions for soil pH. <i>Communications in soil science and plant analysis</i> . 27:773-783.
Gedroiz, K. K. (1931). Exchangeable cations of the soil and the plant. <i>Soil science</i> . 32: 51-64.
Glozer, K., Ferguson, L. (2007). Apricot Production in Afghanistan. Univ. Calif., Davis.[Online]. <a href="http://afghanag.ucdavis.edu/a_horticulture/fruits-trees/apricots/manuals/Man_Fruit_Apricot.pdf/">http://afghanag.ucdavis.edu/a_horticulture/fruits-trees/apricots/manuals/Man_Fruit_Apricot.pdf/</a>
Golueke, C. (1983, July-August). Epidemiological aspects of sludge handling and management. <i>Biocycle</i> . 24 (4): 50-57.
Graham D.R. (1983) Effects of nutrients stress on susceptibility of plants to disease with particular reference to the trace elements, <i>Adv. Bot. Res.</i> 10, 221–276.
Graves, P. (2014). Measuring Root Growth Response to Nitrogen Fertilization Rates in Young Pecan Seedlings Using the Minirhizotron Method (Doctoral dissertation).
Gupta, N., Jawandha, S. K., & Gill, P. S. (2011). Effect of calcium on cold storage and post-storage quality of peach. <i>Journal of food science and technology</i> , 48(2), 225-229.
Gupta, O.P.; Jindal, P.C. and Singh, B.P. (1979). Effect of pre-harvest spray of calcium nitrate on the storage behaviour of grape cv. Perlette. <i>Haryana agric. Univ. J. Res.</i> , Vol. X, No. 2 204-206

Gurnsey, S. (2005). Control of Botrytis in Grapes: Grower Survey & Best Practice. Slide presentation by the Horticulture and Food Research Institute of New Zealand Ltd.
Habran, A., Commisso, M., Helwi, P., Hilbert, G., Negri, S., Ollat, N., Gomès, E., van Leeuwen, C., Guzzo, F. and Delrot, S. (2016). Roostocks/scion/nitrogen Interactions affect secondary metabolism in the grape berry. <i>Frontiers in Plant Science</i> , 7.
Hadas, A., & Kautsky, L. (1994). Feather meal, a semi-slow-release nitrogen fertilizer for organic farming. <i>Fertilizer research</i> . 38 (2): 165-170.
Hagler, T. B. (1954). Mineral nutrition of muscadine grapes, <i>Vitis rotundifolia</i> . Unpublished doctoral dissertation, University of Maryland, Columbia Park.
Hampstead, E., Gould, E. (1957). Relation of mite populations to seasonal leaf nitrogen levels in apple orchards. <i>J. Econ. Entomol.</i> 50 (1) :109-110.
Hamstead, H. Gould, E. (1957). Relation of mite populations to seasonal leaf nitrogen levels in apple orchards. <i>J Econ Entomol.</i> V 50 (1): 109-110.
Hanna, M. A., Zaher, M. A., & Ibrahim, S. M. (1982). Some probable causes of host preference in six species of phytophagous mites. <i>Zeitschrift für Angewandte Entomologie</i> , 93(1-5), 329-333.
Hansen, H. (2012). Learn to store Honeycrisp: Honeycrisp held at high temperatures for the first week of storage reduces chilling injuries. <i>Good Fruit Grower</i> . Feb 15, 2012
Hansen, M. (2014). The latest on dealing with spider mites in vineyards:Two-spotted spider mite has the capability to develop tolerance to miticides in wine grapes. <i>Good Fruit Grower</i> . February 27th, 2014.
Hasey J., Johnson R., Meyer R., Klonsky K. (1997) An organic versus a conventional farming system in kiwifruit. <i>Acta Horticulturae</i> 444, 223-228.
Hauck, R. D. (Ed.). (1984). Nitrogen in crop production. Madison, WI: American Society of Agronomy.
Hawk, J., Martinson, T. (2006). Sustainable Viticulture in the Northeast: A publication of the Finger Lakes, Lake Erie, and Long Island Regional Grape Programs. Newsletter.
Haynes, R., & Goh, K. (1980). Distribution and budget of nutrients in a commercial apple orchard. <i>Plant and soil</i> . 56: 445-457.
Hernández, E., Biasi, B., Mitcham, E. (2005). Quality of pink lady® brand apple. 2005 Proceedings, Quality of Pink Lady Apples™. Washington Tree Fruit Postharvest Conference December 7th, 2005 Wenatchee, WA.
Hewett, EW. (2006). An overview of preharvest factors influencing postharvest quality of horticultural products. <i>Int J Postharv Technol Innov</i> 1:4–15
Hickey, K.D., Conway, W.S. & Sams, C.E. (1995). Effect of calcium sprays and cultivar resistance on fruit decay development on apple. <i>Pennsylvania Fruit News</i> 75 (2) 37-40
Hilbert, G., Soyer, J., Molot, C., Giraudon, J. Milin, S. & Gaudillere, J. (2003). Effects of nitrogen supply on must quality and anthocyanin accumulation in berries of cv. Merlot. <i>Vitis</i> 42 (2), 69–76. INRA, Station d’Agronomie, Equipe Ecophysiologie et Agronomie Viticole, Villenave d’Ornon, France
Hilgard, E. (1893). Further examination of California prunes, apricots, plums and nectarines. Berkeley, Ca: University of California Agri. Exp. Station Bulletin # 101.
Hissink, D. J. (1923). Methods for estimating absorbed bases in soils and the importance of these bases in soil economy. <i>Soil science</i> . 15: 269-276.
Hoagland, D. (1925). Physiological aspects of soil solution investigations. <i>Hilgardia</i> . 1 (11): 245-253.
Hodkinson, I. D. (1974). The biology of the Psylloidea (Homoptera): a review. <i>Bulletin of Entomological Research</i> , 64(02), 325-338. Cambridge Press.
Hofman, P. J. (1998). Production factors influence fruit quality and response to postharvest

treatments. In <i>Aciair Proceedings</i> (Vol. 81, pp. 6-18). Australian Centre for International Agricultural Research.
Hoitink, H., & Kuter, G. (1985). Effect of composts in container media on diseases caused by soil borne plant pathogens. <i>ActaHorticulture</i> . 172:191-197.
Holba, I., Ballaa, B. Vamosa, A. Gallc, J. (2012). Influence of preharvest calcium applications, fruit injury, and storage atmospheres on postharvest brown rot of apple. <i>Postharvest Biology and Technology</i> . Volume 67, May 2012, Pages 29-36
Huber, D. N. (1989). The role of nutrition in the take-all disease of wheat and other small grains. In A.W. Englehard (Ed.) <i>Management of Diseases with Macro- and Micro elements</i> . St Paul, MN: American Phytopathological Society.
Hukusima, S., and K. Ando. (1967). Fecundity of apple leafcurling aphid, <i>Myzus malisuctus</i> Matsumura, with relation to external feature and nutritional change of apple leaves in different varieties. <i>Gifu Univ. Fac. Agric. Res. Bull.</i> 24: 114-125.
Hunter, A. S. (1949). Yield and composition of alfalfa as affected by variations in calcium-magnesium ratio in the soil. <i>Soil science</i> . 67:53-62.
Hunter, A. S., Toth, S.J. , & Bear, F.E. (1943). Calcium-potassium ratios for alfalfa. <i>Soil science</i> . 55:61-72.
Ingels, C. , & Miller, R. (1993). Scavenging Nitrogen in Orchards. [Online]. Available <a href="http://www.sarep.ucdavis.edu/sarep/newsltr/v5n3/sa-4.htm">http://www.sarep.ucdavis.edu/sarep/newsltr/v5n3/sa-4.htm</a> . Davis: University of California, Sustainable Agriculture Research & Education Program.
Integrated pest management for apples & pears. (1991). Oakland, Ca: University of California.
J Johnson, R. S., Olivos, A., XiaoQiong, Q., Crisosto, C., & Michilaides, T. (2013). Proper nectarine nutrition improves fruit quality. <i>Better Crops with Plant Food</i> , 97(3), 11-13.
Jackson, Patrick R.; Hunter, Preston E. (1983). Effects of Nitrogen Fertilizer Level on Development and Populations of the Pecan Leaf Scorch Mite (Acari: Tetranychidae). <i>Journal of Economic Entomology</i> . Volume 76, Number 3, June 1983, pp. 432-435(4)
Jackson, W. A. (1967). Physiological effects of soil acidity. In: R. Pearson & F. Adams, (Eds.). <i>Soil acidity and liming</i> . Madison, WI: American society of agronomy.
Jakobsen, S. (1993). Interaction between plant nutrients : III antagonism between potassium, magnesium, and calcium. <i>Acta Agriculture Scandanavia</i> . 43 (B): 1-5.
Janisiewicz, W., Conway, W., Glenn, D.M., Sams, C. (1998). <i>HortScience</i> February 1998 vol. 33 no. 1 105-109
Jesiotr, L. J., Suski, Z. W., & Badowska-Czubik, T. (1979). Food quality influences on a spider mite population. <i>Recent Advances in Acarology</i> , 1, 189-196.
Jia, H. J., Mizuguchi, K., Hirano, K., & Okamoto, G. (2006). Effect of fertilizer application level on pectin composition of Hakuho peach ( <i>Prunus persica</i> Batsch) during maturation. <i>HortScience</i> , 41(7), 1571-1575
Johnson, B. (2017). Canker disease can take a heavy toll on prune trees. <i>Ag Alert</i> , November 8, 2017. California Farm Bureau Federation. Sacramento, Ca.
Johnson, J. (2017). Best practices: almond disease and control. <i>West Coast Nut</i> . May, 2017. JCS Marketing. Pg 8-14.
Johnson, R. S., Crisosto, C. H., Andris, H., Day, K., Holtz, B., Beede, B., & Klassen, K. (2003). The effect of nutrient deficiencies on stone fruit production and quality. Report to the California Tree Fruit Agreement Commission. University of California, Davis, CA.
Jordan, D. (1989). Ammonium in Grapevines: Seasonal Levels in Tissue and Xylem Extracts, and a Tendril Model System. PhD Thesis, Oregon State University. Completed August 15, 1989
Joshi, V. K., & Bhutani, V. P. (1995). Peach and nectarine. <i>FOOD SCIENCE AND TECHNOLOGY-</i>

<i>NEW YORK-MARCEL DEKKER-</i> , 243-243.
Jurgens, R. (1985). Positive influences of carbon dioxide on soil. <i>Journal of sustainable agriculture</i> .
Kaakeh, W., Pfeiffer, D., & Marini, R. (1992). Combined effects of spirea aphid (Homoptera: Aphididae) and nitrogen fertilization on shoot growth, dry matter accumulation, and carbohydrate concentration in young apple trees. <i>Journal of economic entomology</i> , 85(2), 496-506.
Kader, A. (2008). Perspective: Flavor quality of fruits and vegetables. <i>J Sci Food Agric</i> 88:1863–1868 (2008)
Kashmanian, R. (1995). The right time for composting in agriculture. Farm scale composting: a BioCycle Publication. Emmaus, PA: JG Press.
Kast, W. K. (1991). Effects of Nitrogen Supply on Infection of Grapevines by <i>Phomopsis viticola</i> Sacc. <i>Vitis</i> . 30: 17-23.
Kato, K., Suzuki, A.; Fukumoto, M.; Komamura, K.; Sato, Y.; Mashiko, T.; Abe, M.; Nukada, M.; Saito, H. (2000). Studies on nitrogen fertilization of peach orchards. <i>Bulletin of the Fukushima Fruit Tree Experiment Station (Mar 2000)</i> . (no.18) p. 61-97
Katz, M. (Ed). (1996, January). Using fungus at planting. <i>Grape Grower</i> . 29 (1): 4-5.
Kavvadias, V., Daggas, T., Paschalidis, C., Vavoulidou, E., & Theocharopoulos, S. (2012). Effect of Boron Application on Yield, Quality, and Nutritional Status of Peach Cultivar Andross. <i>Communications in soil science and plant analysis</i> , 43(1-2), 134-148.
Keller, M., Kummer, M., & Vasconcelos, M. (2001). Reproductive growth of grapevines in response to nitrogen supply and rootstock. <i>Australian Journal of Grape and Wine Research</i> , 7(1), 12-18.
Keller, M., Kummer, M., Vasconcelos, M. C. (2001). Reproductive growth of grapevines in response to nitrogen supply and rootstock. <i>Australian Journal of Grape and Wine Research</i> , 7(1), 12-18.
Keller, M., Pool, R. M., & HENICK-KLING, T. (1999). Excessive nitrogen supply and shoot trimming can impair colour development in Pinot Noir grapes and wine. <i>Australian Journal of Grape and Wine Research</i> , 5(2), 45-55.
Keller, M., Pool, R., & Henick-Kling, T. (1999). Excessive nitrogen supply and shoot trimming can impair colour development in Pinot Noir grapes and wine. <i>Australian Journal of Grape and Wine Research</i> . V5 (2). Pg. 45 – 55. <i>Australian Society of Viticulture and Oenology</i>
Keller, M., Rogiers, S., Schultz, H. (2003). Nitrogen and ultraviolet radiation modify grapevines' susceptibility to powdery mildew. <i>Vitis</i> . V42 (2) 87-94
Keren, R. (1991). Specific effect of magnesium on soil erosion and water infiltration. <i>Soil science society of America journal</i> . 55:783-787
Khalifa, R., Omaira, M., Abd-El-Khair, H. (2009) Influence of foliar spraying with boron and calcium on productivity, fruit quality, nutritional status and controlling blossom end rot disease of Anna apple trees. <i>World Journal of Agricultural Sciences</i> . 5 (2): 237-249 ISSN 1817-3047
Kimberling, D. N., Scott, E. R., & Price, P. W. (1990). Testing a New Hypothesis: Plant Vigor and Phylloxera Distribution on Wild Grape in Arizona. <i>Oecologia</i> , 1-8.
Kinsey, N., & Walters, C. (1995). Neal Kinsey's hands-on agronomy. Metairie, LA: Acres U.S.A.
Kiraly, Z. (1976). Plant disease resistance as influenced by biochemical effects on nutrients in fertilizers. In: <i>Fertilizer Use and Plant Health</i> . International Potash Institute. Bern, Switzerland. Pg 33-44.
Kirchhof, G., Jayawardane, N., Blackwell, J., & Murray, E. (1995). Lime-slotting technique to ameliorate subsoil acidity in a clay soil. I. Effects on soil pH and physical characteristics. <i>Australian journal of soil research</i> . 33 (3):425-441.
Kirkpatrick, J., Mai, W., Parker, K., Fisher, E. (1964). Effect of phosphorus and potassium nutrition of sour cherry on the soil population levels of five plant-parasitic nematodes. <i>Phytopathology</i> 54:706-712.

Klein, J. D., Conway, W. S., Whitaker, B. D., & Sams, C. E. (1997). Botrytis cinerea decay in apples is inhibited by postharvest heat and calcium treatments. <i>Journal of the American Society for Horticultural Science</i> , 122(1), 91-94.
Koseoglu, A., Tokmak, S., Momol, M. (1996). <i>Journal of plant nutrition</i> . Akdeniz University, Antalya, Turkey. V 19 (1) <i>J. plant nutr.</i> - Monticello, N.Y: Marcel Dekker Inc. p. 51-61.
Kruger, F.S., Snjidier, B. and Fraser, F.T. (2003). Development of wind and pulp mineral content as indicators of storage potential of sub-tropical fruits. <i>S. Afr. Fr. J.</i> , 2:39-43
Kuenen, D. (1964). Man, food and insects as an ecological problem. In: Moore, J. A. <i>Proceedings [of the International Congress of Zoology, 16th, 1963, Washington, DC. National Academies.</i>
Kühn, B.F. and Pedersen, H.L. (2009). Cover crops and mulching effects on yield and fruit quality in unsprayed organic apple production. <i>European Journal of Horticultural Sciences</i> . 74: 247-253.
Kuo, S., Hummel, R. L., Jellum, E. J., & Privett, D. (1997, May/June). Fishwaste compost effects on rhododendron growth and nitrogen leaching and transformation. <i>Journal of environmental quality</i> . 26 (3): 733-739.
L. T. Wilson, J. M. Smilanick, M. P. Hoffmann, D. L. Flaherty, ' And S. M. Ruiz. (1988). Leaf Nitrogen And Position In Relation To Population Parameters Of Pacific Spider Mite, Tetranychus Pacificus (Acari: Tetranychidae) On Grapes <i>Environ. Entomol.</i> 17(6): 964-968 (1988)
Lagatu, H., & Maume, L. (1927). Variations in potassium content of alfalfa due to stage of growth and soil type and the relationship of potassium and calcium in plants grown upon different soil types. J.F. Fonder (Ed.). <i>Journal of the American society of agronomy</i> , (1929). 21 (7): 732-750.
Lamey, H., Stack, R. (1991). <i>Disease Control in Cherries, Plums, and Other Stone Fruits</i> . North Dakota State University Extension Service. PP-689 (Revised), July 1991. [Online]. <a href="http://www.ag.ndsu.edu/pubs/plantsci/hortcrop/pp689w.htm">http://www.ag.ndsu.edu/pubs/plantsci/hortcrop/pp689w.htm</a>
Lamey, H., Stack, W. (1991). <i>Disease Control in Cherries, Plums, and Other Stone Fruits</i> . North Dakota State University. Bulletin PP-689. [Online]. <a href="http://www.ag.ndsu.edu/pubs/plantsci/hortcrop/pp689w.htm">http://www.ag.ndsu.edu/pubs/plantsci/hortcrop/pp689w.htm</a>
Lamichhane JR, Fabi A, Ridolfi R, Varvaro L, 2013. Epidemiological study of hazelnut bacterial blight in central Italy by using laboratory analysis and geostatistics. <i>PLoS ONE</i> 8, e56298
Large, R. L. (1971). Soil fertility recommendations based on a balanced saturation of the cation exchange capacity. <i>Soil science and plant analysis</i> . 2 (2): 109-115.
Laywisadkul, S. (2007). 2 Plant N Status, Fungicide Application, and Time of Year Alter Susceptibility of Pyrus Communis To Phytophthora Syringae. Factors Affecting the Incidence and Severity of Phytophthora syringae Cankers in Pear (Pyrus communis) Trees, 16.
Laywisadkul, S. (2008). Factors affecting the incidence and severity of Phytophthora syringae cankers in pear (Pyrus communis) trees. <i>ProQuest</i> .
Leclerc, B., Cauwell, B., Lairon, D., & Ott, P. (1988). Mineralization rates of different organic fertilizers and their effect on nitrate content and yields in lettuce and carrots. In P. Allen & D. Van
Lehnert, R. (2011). Growing cherries on new systems: Researchers across the country are looking at what works best in their regions. <i>Good Fruit Grower</i> . May 15, 2011
Leite, B. (2004). Calcium availability influences aggregation and adhesion of Xylella. fastidiosa, the causal agent of the Pierce's disease in grapes. B. LEITE (1), M. L. Ishida (1), B. Brodbeck (1), L. Marques (2), M. E. Olson (2), M. R. Braga (3), and P. C. Andersen (1). (1) University of Florida, Quincy, FL; (2) University of Calgary, Calgary, Canada; (3) Institute of Botany, São Paulo, Brazil. <i>Phytopathology</i> 94:S59. Publication no. P-2004-0398-AMA.
Leser, C. & Treutter. D. (2006). Resistance of apple trees to Venturia inaequalis under the influence of N-supply. In: <i>Pome Fruit Health Research in Europe: Current Status 2006</i> , Eds. Stich K, Steffek R, Halbwirth H & Persen U., pp. 134-136.

Levesque, C., Holley, J., & Utkhedes, R. (1993). Individual and combined effects of Enterobacter aerogenes and metalaxyl on apple tree growth and phytophthora crown and root rot symptom development. <i>Soil biology and biochemistry</i> . 25 (8): 975-979.
Link, H. 1980. Effects Of Nitrogen Supply On Some Components Of Apple Fruit Quality. <i>Acta Hort. (Ishs)</i> 92:285-285. <a href="http://Www.Actahort.Org/Books/92/92_37.Htm">Http://Www.Actahort.Org/Books/92/92_37.Htm</a>
Llorente, I., & Montesinos, E. (2006). Brown Spot of Pear: An Emerging Disease of Economic Importance in Europe. November 2006, V 90 (11). Pg. 1368-1375
Logsdon, G. (1995). Using compost for plant disease control. In <i>Farm scale composting: a BioCycle Publication</i> . Emmaus, PA: JG Press. P. 58-60.
Lucena, J. J. (2000). Effects of bicarbonate, nitrate and other environmental factors on iron deficiency chlorosis. A review. <i>Journal of Plant Nutrition</i> , 23(11-12), 1591-1606.
Lyon, T. L. (1921, March). The effect of liming on the composition of the drainage water of soils. <i>Agronomy journal</i> . 13 (3): 124-130
Łysiak, Grzegorz. (2013). The influence of harvest maturity and basic macroelement content in fruit on the incidence of diseases and disorders after storage of the 'Ligol' apple cultivar. <i>Folia horticultrae</i> . 2013 June 18, v. 25, no. 1 Versita p. 31-39.
Ma, H., Liu, Z. (2006). Investigation of ventral suture early softening of peach fruit. <i>ISHS Acta Horticulturae</i> 768: XXVII International Horticultural Congress - IHC2006: International Symposium on The Role of Postharvest Technology in the Globalisation of Horticulture
Mace, K. C., & Mills, N. J. (2015). Response of walnut aphid populations to increasing foliar nitrogen content. <i>Agricultural and Forest Entomology</i> , 17(3), 277-284.
Mace, K. C., & Mills, N. J. (2015). Response of walnut aphid populations to increasing foliar nitrogen content. <i>Agricultural and forest entomology</i> , 17(3), 277-284.
Malakouti, M. (2001). The Effects of Balanced Fertilization and Zinc Application on Improving Apple Yield, Quality, and Reducing Browning Incidence. In: <i>ISHS Acta Horticulturae</i> 564 - IV International Symposium on Mineral Nutrition of Deciduous Fruit Crops
Malusa, E., Laurenti, E., Ghibaudi, E., & Rolle, L. (2002, August). Influence of organic and conventional management on yield and composition of grape cv.'Grignolino'. In <i>XXVI International Horticultural Congress: Viticulture-Living with Limitations</i> 640 (pp. 135-141).
Manganaris, G., Vasilakakis, M, Mignani, I., Diamantidis, G., Tzavella-Klonari, K. (2005). The effect of preharvest calcium sprays on quality attributes, physicochemical aspects of cell wall components and susceptibility to brown rot of peach fruits ( <i>Prunus persica</i> L. cv. Andross). <i>Scientia Horticulturae</i> . Volume 107, Issue 1, 1 December 2005, Pages 43-50.
Manganaris, G., Vicente, A., Crisosto, C. (2008). Effect of pre-harvest and post-harvest conditions and treatments on plum fruit quality. <i>CAB Reviews: Perspectives in Agriculture, Veterinary Science, Nutrition and Natural Resources</i> 2008 3, No. 009.
Manganaris,G., Vasilakakis,M., Diamantidis, G., Mignani, I. (2006). Effect of in-season calcium applications on cell wall physicochemical properties of nectarine fruit ( <i>Prunus persica</i> var. nectarine Ait. Maxim) after harvest or cold storage. <i>J Sci Food Agric</i> 86:2597–2602.
Manganaris,G., Vasilakakis,M., Diamantidis, G., Mignani, I. (2005). Cell wall physicochemical aspects of peach fruit related to internal breakdown symptoms. <i>Postharvest Biology and Technology</i> 39 (2006) 69–74.
Marangoni B, Toselli M, Venturi A, Fontana M and Scudellari D (2001) Effects of vineyard soil management and fertilization on grape diseases and wine quality. <i>IOBC/WPRS</i> 24(5): 353-358
Marer, P. J., Flint, M. L., & Stimmann, M. W. (1988) <i>The safe and effective use of pesticides</i> , Oakland, Ca:University of California.
Marion, G., Schlesinger, W., & Fonteyn, P. (1992). Alkalinity measurements in water extracts of

calcareous soils. <i>Soil science of America journal</i> . 56 (2) :598-600.
Marsh, K. B., Volz, R. K., Cashmore, W., & Reay, P. (1996). Fruit colour, leaf nitrogen level, and tree vigour in 'Fuji' apples. <i>New Zealand Journal of Crop and Horticultural Science</i> , 24(4), 393-399.
Martin, D., Lewis, T., Cerny, J., Grassia, A. (1970). Effect Of High Levels Of Nitrogen On Mineral Content And Disorder Incidence In Jonathan Apples In Pot Culture. Division Of Plant Industry Technical Paper No. 19. Commonwealth Scientific And Industrial Research Organization, Australia.
Martín, P., Delgado, R., González, M., Gallegos, J. (2004): Colour of 'Tempranillo' Grapes as Affected by Different Nitrogen and Potassium Fertilization Rates. <i>Acta Horticulturae</i> 652, pp.: 153-159
Martins R., Hoffmann, A., Rombaldi, C., de Mello Farias, R., Teodoro, A. (2013). Apple biological and physiological disorders in the orchard and in postharvest according to production system. <i>Rev. Bras. Frutic.</i> [online]. Vol.35 (1), pp. 1-8.
Mathee, F. & Daines, R. (1969). The influence of nutrition on susceptibility of peach foliage to water congestion and infection by <i>Xanthomonas pruni</i> . <i>Phytopathology</i> 59:285-287.
Mathee, F. N., & Daines, R. H. (1969). Influence Of Nutrition On Susceptibility Of Peach Foliage To Water Congestion And Infection By <i>Xanthomonas Pruni</i> . <i>Phytopathology</i> , 59(3), 285.
May-De-Mio LL, Tutida I, Motta ACV, Dolinski MA, Serrat BM, Monteguti D (2008) Rate of application of nitrogen and potassium in relation to brown rot and scab in plum 'Reubennel' in the region of Araucaia, Parana. <i>Trop Plant Pathol</i> 33(1):35-40
Maynard, A.A. (1994, May). Protecting groundwater while recycling nutrients. <i>BioCycle</i> . 35 (5): 40.
McGeorge, W. T. (1930). The base exchange property of organic matter in soils. <i>Bulletin, University of Arizona, Ag Exp. Station. Tucson, AZ: University of Arizona.</i>
McKenry, M. (1996, January). On farm production of nematicide botanicals. Paper presented at the meeting of the Association of Applied Insect Ecologists, Jan. 28-30, 1996, Sacramento, Ca.
McLean, E. O. (1977). Contrasting concepts in soil test interpretation: sufficiency levels of available nutrients versus basic cation saturation ratios. In M. Stelly (Ed.) <i>Soil testing: correlating and interpreting the analytical results</i> . Madison, WI: American Society of Agronomy, Crop Science Society of America, Soil Science Society of America.
McLean, E., Hartwig, R., Eckert, D., & Triplett, G., (1983, July/Aug). Basic cation saturation ratios as a basis for fertilizing and liming agronomic crops. II. Field studies Wayne County, Ohio. <i>Agronomy journal</i> . 75 (4): 635-639.
McMullen, R.D. and Jong, C. (1972) Influence of temperature and host vigor on fecundity of the pear psylla (Homoptera: Psyllidae). <i>Can. Entomol.</i> 104, 1209-12.
Melakeberhan, H. Bird, G., Gore, G. (1997). Impact of Plant Nutrition on <i>Pratylenchus penetrans</i> Infection of <i>Prunus avium</i> Rootstocks. <i>Journal of Nematology</i> 29(3):381-388.
Melakeberhan, H., Bird, G., and Jones, A. (2001). Soil pH Affects Nutrient Balance in Cherry Rootstock Leaves. <i>HORTSCIENCE</i> 36(5):916-917
Miceli, A., Ippolito, A., Linsalata, V., & Nigro, F. (1999). Effect of preharvest calcium treatments on decay and biochemical changes in table grape during storage. <i>Phytopathologia mediterranea</i> , 47-53.
Miceli, A., Ippolito, A., Linsalata, V., Nigro, F. (1999). Effect of preharvest calcium treatments on decay and biochemical changes in table grape during storage. <i>Phytopathologia Mediterranea Italy</i> , 1999, 38 (2) 47-53.
Michailides, T. J., and Johnson, R. S. (1991). Effects of Nitrogen Fertilization on Brown Rot Susceptibility in Stone Fruits. <i>Sustainable Agriculture in the Sierra Foothill, Univ. of California</i>

Sustainable Agr. Res. & Educ. Prog., March 13, 1991, Placerville, CA, 58.
Michailides, T. J., David P. Morgan, Brent A. Holtz, Hugo T. Ramirez, and R. S. Johnson. "Effects of nitrogen fertilization on the susceptibility of Fantasia nectarines to brown rot and on the biology of <i>Monilinia fructicola</i> ." (1993).
Michailides, T. J., Luo, Y., Ma, Z., & Morgan, D. P. (2007). Brown rot of dried plum in California: new insights on an old disease. APSnet Feature Story [ <a href="http://www.apsnet.org/publications/apsnetfeatures/Pages/BrownRot.aspx">http://www.apsnet.org/publications/apsnetfeatures/Pages/BrownRot.aspx</a> ].
Michailides, T., Ramirez, H., Morgan, D., Crisosto, C., Johnson, R. (1993) Effects of nitrogen fertilization and susceptibility of stone fruits (peach and nectarine to brown rot. In: 1992 research reports for California peaches and nectarines. California Tree Fruit Agreement, Sacramento, Ca.
Michailides, T.J., Brown, P., Ma, Z., Morgan, D.P. & Felts, D. (2002). Relationship between fertilization and pistachio disease. Proceedings California Plant and Soil Conference. xxxvi-xlii
Moon, B., Lim, S., Choi, J., & Suh, Y. (2000). Effects of pre-or post-harvest application of liquid calcium fertilizer manufactured from oyster shell on the calcium concentration and quality in stored 'Niiitaka' pear fruits. Journal of the Korean Society for Horticultural Science, 41(1), 61-64
Morse, S. G. (1996, February). Application advantages from slow release fertilizer. Custom applicator. 26 (2):66.
Moser, F. (1933, June). The calcium-magnesium ratio in soils and its relation to crop growth. Journal of the American society of agronomy. 25 (6): 365-377.
Mundy, D. C., & Beresford, R. M. (2007). Susceptibility of grapes to <i>Botrytis cinerea</i> in relation to berry nitrogen and sugar concentration. New Zealand Plant Protection, 60, 123-127.
Munson, R. (Ed.). (1985). Potassium in agriculture. Madison, Wis. Published by the American Society of Agronomy.
Murray, M. (2015). Intermountain Tree Fruit Production Guide. Extension services: Utah State University, Colorado State University, and University of Idaho.
Muscas, E., Cocco, A., Mercenaro, L., Cabras, M., Lentini, A., Porqueddu, C., Nieddu, G. (2017). Effects of vineyard floor cover crops on grapevine vigor, yield, and fruit quality, and the development of the vine mealybug under a Mediterranean climate. Agriculture, Ecosystems & Environment V237, (16) January 2017, Pages 203-212
Musetti, R., Paolacci, A., Ciaffi, M., Tanzarella, O. A., Polizzotto, R., Tubaro, F., Osler, R. (2010). Phloem cytochemical modification and gene expression following the recovery of apple plants from apple proliferation disease. Phytopathology, 100(4), 390-399.
Neilsen, G. & Edwards, T. (1982). Relationships between Ca, Mg, and K in soil, leaf, and fruits of Okanagan apple orchards. Canadian journal of soil science. 62: 365-374.
Neilsen, G., Parchomchuk, P., & Neilson, D. (1994). Fertigation in fruit trees: the B.C. experience. In Peterson, A.B. & Stevens, R. G. (Eds.). Tree fruit nutrition. Yakima, WA: Good Fruit Grower.
Neufeldt, V., & Guralnik, D. (Eds.). (1994). Webster's new world dictionary. (3rd college ed.). New York:Prentice Hall.
Niederholzer, F., Adaskaveg, J. (2009). Managing fruit brown rot in prunes. University of California Cooperative Extension newsletter. [Online]. <a href="http://cebutte.ucdavis.edu/files/43207.doc">http://cebutte.ucdavis.edu/files/43207.doc</a>
Nielsen, N., & Hansen, E. (1984). Macro nutrient cation uptake by plants. Plant and soil. 77 (2/3): 347-365.
Novero, R., Smith, D., Moore, F., Shanahan, J., & d'Andria, R. (1991 Sept/Oct). Field-grown tomato response to carbonated water application. Agronomy journal. 83 (5): 911-916.
Nyczepir, A. P., Wood, B. W., & Reilly, C. C. (2006). Association of <i>Meloidogyne partityla</i> with nickel deficiency and mouse-ear of pecan. HortScience, 41(2), 402-404.
Ogawa, M., Zehr, E., Bird, G., Ritchie, D., Uriu, K., Uyemoto, J. (1995). Compendium of Stone Fruit



Diseases. American Phytopathological Society. St, Paul, Mn. Pg 28
Olivos, A., Johnson, S., Xiaoqiong, Q., Crisosto, C.H. (2012). Fruit phosphorous and nitrogen deficiencies affect Grand Pearl nectarine flesh browning. <i>HORTSCINCE</i> , Vol. 47, p. 391-394
Olsen, J. L., Castagnoli, S., Long, L. E., Shearer, P. W., Pscheidt, J. W., Peachey, R. E., & Einhorn, T. C. (2014). 2014 pest management guide for tree fruits in the Mid-Columbia area: Hood River, The Dalles, White Salmon. Corvallis, Or.: Extension Service, Oregon State University.
Ostenson, H., & Granatstein, D. (2013). Grower Lessons and Emerging Research for Developing an Integrated Non-Antibiotic Fire Blight Control Program in Organic Fruit.
OSU. (1999). Oregon State University Extension Service. Cherries: Gummosis, Pseudomonas, Bacterial Canker & Dead Bud Problems. Bulletin LC 50. [Online]. <a href="http://extension.oregonstate.edu/lane/sites/default/files/documents/LC450CherriesGummosis...Rev.pdf">http://extension.oregonstate.edu/lane/sites/default/files/documents/LC450CherriesGummosis...Rev.pdf</a>
Ouzounis, T., & Lang, G. A. (2011). Foliar applications of urea affect nitrogen reserves and cold acclimation of sweet cherries ( <i>Prunus avium</i> L.) on dwarfing rootstocks. <i>HortScience</i> , 46(7), 1015-1021.
Pacheco, C., Calouro, F., Vieira, S., Santos, F., Neves, N., Curado, F., Franco, J., Rodrigues, S. & Dulce, A. (2008). Influence of nitrogen and potassium on yield, fruit quality and mineral composition of kiwifruit. <i>International Journal of Energy and Environment</i> . Volume 2 (1).
Palaveyev, T., & Penkov, M. (1990). Properties of surface waterlogged clay soils containing exchangeable Mg. <i>Soviet soil science</i> . 22 (1): 87-97.
Papp, J., Jenser, G., Haltrich, A. (2001). Effect of Nitrogen Supply on the Population of European Red Spider Mite and Green Apple Aphid in an IPM Apple Orchard. In: <i>ISHS Acta Horticulturae 564 - IV International Symposium on Mineral Nutrition of Deciduous Fruit Crops</i>
Parada, V. N. I. D. P. (2012). 5 Capítulo Iii-Manejos De Adubação Nitrogenada E De Poda Verde Na Incidência De Podridão Parda Do Pessegueiro. Marcos Antonio Dolinski, 89.
Park, E., McEvoy, J., Leverentz, B., Conway, W., Sams, C., and Prusky, D. (2001) Effect of postharvest calcium treatment on apple fruit decay and polygalacturonase expression by <i>Colletotrichum acutatum</i> . (1) USDA-ARS, PQSL, Beltsville, MD 20705; (2) Univ. of Tennessee, Knoxville, TN 37901. <i>Phytopathology</i> 91:S69. Publication no. P-2001-0503-AMA.
Parker, K., Luepschen, N., & Fisher, E. (1961). Tree nutrition and fire blight development. <i>Phytopathology</i> 51:557-560.
Parsons, C. (2016). Post harvest nutrition in almonds. <i>Progressive Crop Consultant</i> . July/August, 2016. V1 (2).
Pataky, N. (2002). Bacterial Blight Caused by <i>Pseudomonas syringae</i> . University of Illinois Extension Newsletter: Home Garden and Pest. May 8, 2002. [Online].
Pearson, R., & Adams, F. (Eds.). (1967). <i>Soil acidity &amp; liminq</i> . Madison, WI: American Society of Agronomy.
Pedersen, H., Jensen, B., Munk, L., Bengtsson, M., & Trapman, M. (2012). Reduction in the use of fungicides in apple and sour cherry production by preventative methods and warning systems. Danish Ministry of the Environment, Environmental Protection Agency. (Pesticides Research, Vol. 139)
Perov, N. N., Mirzaev, M. N., Chepelenko, A. P. and Perova, L. I. (1971). <i>Fiziol. Rust</i> . 18, 1040-1043. In: Graham, R. D. (1983). Effects of nutrient stress on susceptibility of plants to disease with particular reference to the trace elements. <i>Advances in botanical research</i> , 10, 221-276.
Perring, M. (1986). "Incidence of bitter pit in relation to the calcium content of apples: Problems and paradoxes, a review". <i>Journal of Science of Food and Agriculture</i> . V 37(7): 591-606
Perring, M. A. (1968). Mineral composition of apples. VII.—The relationship between fruit

composition and some storage disorders. <i>Journal of the Science of Food and Agriculture</i> , 19(4), 186-192.
Pertot I and Perin L (1999) Influence of N-fertilization on rot caused by <i>Botrytis cinerea</i> on kiwifruit in cold store. <i>Notiziario dall'Ente Regionale per lo Sviluppo e la Promozione dell'Agricoltura del Friuli Venezia Giulia (ERSA)</i> . 12 (6): 39-41
Pest Management Center. (2013). Integrated management of fire blight on apple and pear in Canada. AAFC. <a href="http://www.agr.gc.ca/eng/about-us/offices-and-locations/pest-management-centre/pest-management-centre-publications-and-document-archive/integrated-management-of-fire-blight-on-apple-and-pear-in-canada/?id=1185385723877">http://www.agr.gc.ca/eng/about-us/offices-and-locations/pest-management-centre/pest-management-centre-publications-and-document-archive/integrated-management-of-fire-blight-on-apple-and-pear-in-canada/?id=1185385723877</a>
Peterson, A. B., & Stevens, R. G. (Eds.) (1994). <i>Tree fruit nutrition</i> . Yakima, WA: Good Fruit Grower.
Petrik. (1996). <i>Petrik Laboratories material description &amp; use manual</i> . Woodland, Ca: Author.
Peyrot des Gachons, C., Leeuwen, C., Tominaga, T., Soyer, J., Gaudillere, J., Denis, D. (2005) Influence of water and nitrogen deficit on fruit ripening and aroma potential of <i>Vitis vinifera</i> L cv Sauvignon blanc in field conditions. <i>J. Sci. Food Agric.</i> 2005, 85, 73–85.
Peyrot des Gachons, C., Van Leeuwen, C., Tominaga, T., Soyer, J., Gaudillère, J., Dubourdiou, D. (2005). Influence of water and nitrogen deficit on fruit ripening and aroma potential of <i>Vitis vinifera</i> L cv Sauvignon blanc in field conditions. <i>Journal of the Science of Food and Agriculture</i> V 85 (1). Pg. 73 – 85.
Pfeiffer, D. G., & Burts, E. C. (1984). Effect of tree fertilization on protein and free amino acid content and feeding rate of pear psylla (Homoptera: Psyllidae). <i>Environmental entomology</i> , 13(6), 1487-1490.
Pfeiffer, D., Burts, E. (1983). Effect of Tree Fertilization on Numbers and Development of Pear Psylla (Homoptera: Psyllidae) and on Fruit Damage. <i>Environmental Entomology</i> , V 12, (3), June 1983 , pp. 895-901.
Phillips, I. R. (1988, August). Effect of cation exchange on the distribution and movement of cations in soils with variable charge. I. Effect of lime on potassium and magnesium exchange equilibria. <i>Fertilizer research : an international journal on fertilizer use and technology</i> . 17 (1):21-30.
Pierre, W. H., & Scarseth, G. D. (1931). Determination of the percentage base saturation of soils at definite pH values. <i>Soil science</i> . 31: 99-114.
Plaster, J. (1992). <i>Soil science and management</i> . Albany, New York: Delmar Publishers, Inc.
Plisek, B. (1990, May). Application of soil and tissue analyses in fertilization practice in Czechoslovak orchards. <i>Acta horticulture</i> 274: 389-394.
Pole, V., Missa, I., Rubauskis, E., Kalva, E., & Kalva, S. (2017, June). Effect of Nitrogen Fertiliser on Growth and Production of Apples in the Conditions of Latvia. In <i>Proceedings of the Latvian Academy of Sciences. Section B. Natural, Exact, and Applied Sciences</i> . (Vol. 71, No. 3, pp. 115-120). De Gruyter Open.
Pollack, S. (1998). <i>An Analysis of the Feasibility of Providing Federal Multi-Peril Crop Insurance to Nut Tree Growers: Almonds Hazelnuts</i> .
Pollock, D. (2017). Positive attributes aplenty for new Supreme raisin grape. <i>Western Farm Press</i> . September 2, 2017. V39(14). Penton Press, Irving, TX.
Potter, D., Bridges, B., & Gordon, F. (1985). Effect of fertilization on earthworm and microarthropod populations in Kentucky bluegrass turf. <i>Agronomy journal</i> . 77:367-372.
Prasad, M. and Spiers, T. (1992). The Effect of Nutrition on the Storage Quality of Kiwifruit (A Review). <i>Acta Hort. (ISHS)</i> 297:579-586
Prussia, S., Aggarwal, D., Lysiak, G. and Florkowski, W. (2005). Postharvest Calcium Chloride Dips for Increasing Peach Firmness. <i>Acta Hort.</i> V 682:1551-1558

Prussia, S.E., Aggarwal, D., Lysiak, G. and Florkowski, W. (2005). Postharvest Calcium Chloride Dips for Increasing Peach Firmness. <i>Acta Hort. (ISHS)</i> 682:1551-1558
Pryor, A. (1980, August). Nematodes: new thinking called for in future control. <i>California farmer</i> .
Quarles, W. (1997, March). Alternatives to methyl bromide in forest nurseries. <i>The IPM practitioner</i> . XIX (3): 1-14.
Quarles, W., & Grossman, J. (1995, August). Alternatives to methyl bromide in nurseries - disease suppressive media. <i>The IPM practitioner</i> . XVII (8): 1-13.
R'Houma, A., Chérif, M., & Boubaker, A. (1998). Effect Of Nitrogen Fertilization, Green Pruning And Fungicide Treatments On Botrytis Bunch Rot Of Grapes. <i>Journal of Plant Pathology</i> , 80(2), 115-124.
Raccah, B., Tahori, A. S., & Applebaum, S. W. (1971). Effect of nutritional factors in synthetic diet on increase of alate forms in <i>Myzus persicae</i> . <i>Journal of Insect Physiology</i> , 17(7), 1385-1390.
Racsó, J., Szabó, Z., & Nyéki, J. (2005). Effect of nutrient supply on fruit quality of apple ( <i>Malus domestica</i> Borkh.). <i>Journal of Central European Agriculture</i> , 6(1), 35-42.
Radi, M., Mahrouz, M., Jaouad, A., Gaouji, A., Tacchini, M., Aubert, S., Amiot, M.J. (1997). Effect Of Mineral Fertilization (NPK) On The Quality Of Apricot. October 1997 ISHS <i>Acta Horticulturae</i> 448
Radi, M., Mahrouz, M., Jaouad, A., & Amiot, M. (2003). Influence of mineral fertilization (NPK) on the quality of apricot fruit (cv. Canino). The effect of the mode of nitrogen supply. <i>Agronomie</i> , 23(8), 737-745
Raese, J. & Staiff, D. (1989). Effect of Fertilizers, Rootstocks, and Season On Fruit Quality, Fruit Disorders, and Mineral Composition of D'anjou Pears. <i>Acta Hort. (Ishs)</i> 256:183-188
Raese, J. T. (1997). Cold tolerance, yield, and fruit quality of 'd'Anjou' pears influenced by nitrogen fertilizer rates and time of application. <i>Journal of Plant Nutrition</i> , 20(7-8), 1007-1025.
Raese, J., & Drake, S. (1997). Nitrogen fertilization and elemental composition affects fruit quality of 'Fuji' apples <i>Journal of Plant Nutrition</i> , Volume 20, Issue 12. Pg 1797 - 1809
Raese, J.T. (1993). Effects of preharvest calcium sprays on apple and pear quality. <i>Journal of plant nutrition</i> . V 16 (9). p. 1807-1819
Rahman, M. U., Sajid, M., Rab, A., Ali, S., Shahid, M. O., Alam, A., ... & Ahmad, I. (2016). Impact of calcium chloride concentrations and storage duration on quality attributes of peach ( <i>Prunus persica</i> ). <i>Russian agricultural sciences</i> , 42(2), 130-136.
Raij, B. van. (1991). Fertility of acid soils. <i>Developments in plant and soil sciences</i> ,. 45: 159-167. In R.J. Wright, V.C. Baligar and R.P. Murrmann (Eds.) <i>Plant-soil interactions at low pH / . Proceedings of the second international symposium, June 24-29, 1990, Beckley, West Virginia</i> .
Rateaver, B., & Rateaver, G. (1993). <i>Organic method primer update</i> . San Diego, Ca. Pub: Bargyla & Gylver Rateaver.
Reay, P. F., Fletcher, R. H., & Thomas, V. J. (1998). Chlorophylls, carotenoids and anthocyanin concentrations in the skin of 'Galaxy' apples during maturation and the influence of foliar applications of nitrogen and magnesium. <i>Journal of the Science of Food and Agriculture</i> , 76(1), 63-71.
Reighard, G.L., Bridges, Jr., W., Glenn, D.M. and Mayer, N.A. (2016). Carbon to nitrogen ratio in peach bark and incidence of bacterial canker. <i>Acta Hort.</i> 1130, 341-344
Reisenzein, H., Pfeffer, M., Aust, G. and Baumgarten, A. (2007). The Influence of Soil Properties on the Development of Grape Phylloxera Populations in Austrian Viticulture. <i>Acta Hort. (ISHS)</i> 733:13-24
Rengel, Z. (1992). Modeling Magnesium Uptake from an Acid Soil. IV. Depletion of Magnesium, Calcium, and Potassium from Soluble and Exchangeable Phase.

Rettke MA, Pitt TR, Maier NA, Jones JA (2006) Quality of fresh and dried fruit of apricot (cv. Moorpark) in response to soil-applied nitrogen. <i>Australian Journal of Experimental Agriculture</i> 46, 123–129.
Rettke, M. A., Pitt, T. R., Maier, N. A., & Jones, J. A. (2006). Quality of fresh and dried fruit of apricot (cv. Moorpark) in response to soil-applied nitrogen. <i>Animal Production Science</i> , 46(1), 123-129.
Reuveni, M., Naor, A., Reuveni, R., Shimoni, M., & Bravdo, B. (1994). The influence of NPK fertilization rates on susceptibility to powdery mildew of field-grown winegrapes. <i>Journal of Small Fruit &amp; Viticulture</i> , 2(1), 31-41.
R-Houma, A., Cherif, M., and Boubacker, A. (1998). Effect of nitrogen fertilizing, green pruning, and fungicide treatments on Botrytis bunch rot of grapes. <i>J Plant Pathol.</i> 80:115-124.,
Rodriguez, J. (1958). The Comparative NPK Nutrition of Panonychus ulmi (Koch) and Tetranychus telarius (L.) on Apple Trees. <i>Journal of Economic Entomology</i> , V51, (3), June 1958 , pp. 369-373
Rogers, B., Batjer, L., & Billingsley, H. (1955). Fertilizer applications as related to nitrogen, phosphorus, potassium, calcium, and magnesium utilization by peach trees. <i>Proc. Amer. Soc. Hort. Sci.</i> 66:7-12.
Rom, C. (1994). In Peterson, A.B. & Stevens, R. G. (Eds.). <i>Tree fruit nutrition</i> . Yakima, WA: Good Fruit Grower.
Rossi, G., Beni, C., Socciarelli, S., Marconi, S., Pastore, M., Del Vaglio, M., Gervasi, F. (2010). Mineral Nutrition of Pear and Apricot Trees Cultivated in Southern Italy Area Damaged by Phytoplasma Microorganisms. <i>Acta Hort. (ISHS)</i> 868:433-438.
Rouhani, M., Samih, M. A., & Esmaeilzadeh, M. (2012). Evaluation of Effects of Two Spring Applications of Micronutrients on the Population Density of Common Pistachio Psylla ( <i>Agonoscena Pistaciae</i> ) in Pistachio Orchards. <i>Journal of Plant Protection Research</i> , 52(3), 314-318.
Rouhani, M., Samih, M., & Esmaeilzadeh, M. (2012). Evaluation of effects of two spring applications of micronutrients on the population density of common pistachio psylla ( <i>Agonoscena pistaciae</i> ) in pistachio orchards. <i>Journal of Plant Protection Research</i> , 52(3), 314-318.
Rousselin, A., Sauge, M. H., Jordan, M. O., Vercambre, G., Lescourret, F., & Bevacqua, D. (2016). Nitrogen and water supplies affect peach tree–green peach aphid interactions: the key role played by vegetative growth. <i>Agricultural and Forest Entomology</i> , 18(4), 367-375.
Ruttner, F. (1970). <i>Fundamentals of limnology</i> . Toronto, Canada: University of Toronto Press.
Saa, S., Peach-Fine, E., Brown, P., Michailides, T., Castro, S., Bostock, R., & Laca, E. (2016). Nitrogen increases hull rot and interferes with the hull split phenology in almond ( <i>Prunus dulcis</i> ). <i>Scientia Horticulturae</i> , 199, 41-48.
Salisbury F. and Ross C. (1992). <i>Plant Physiology</i> . 4th Edition. Wadsworth Publishing Company, USA
Sams, C. E., Conway, W. S., Abbott, J. A., Lewis, R. J., & Ben-Shalom, N. (1993). Firmness and decay of apples following postharvest pressure infiltration of calcium and heat treatment. <i>Journal of the American Society for Horticultural Science</i> , 118(5), 623-627.
Sanchez, E., Khemira, H., Sugar, D., & Righetti, T. (1996). Nitrogen management in orchards. In P.E.Bacon (Ed.), <i>Nitrogen fertilization in the environment</i> (pp. 328-373). New York: Marcel Dekker, Inc.
Sauge, M. H., Grechi, I., & Poëssel, J. L. (2010). Nitrogen fertilization effects on Myzus persicae aphid dynamics on peach: vegetative growth allocation or chemical defence?. <i>Entomologia experimentalis et applicata</i> , 136(2), 123-133.
Sauge, M. H., Grechi, I., & Poëssel, J. L. (2010). Nitrogen fertilization effects on Myzus persicae

aphid dynamics on peach: vegetative growth allocation or chemical defence?. <i>Entomologia experimentalis et applicata</i> , 136(2), 123-133.
Sauge, M., Grechi, I., Poëssel, J. (2010). Nitrogen fertilization effects on Myzus persicae aphid dynamics on peach: vegetative growth allocation or chemical defence?. <i>Entomologia Experimentalis et Applicata</i> . V136(2)
Sauge, M-H., Grechi, I., Poëssel, J-L. (2010). Nitrogen fertilization effects on Myzus persicae aphid dynamics on peach: vegetative growth allocation or chemical defence? <i>Entomologia Experimentalis et Applicata</i> , v136 n2 (August 2010): 123-133
Saxton, V. (2002). Calcium and the vine (part two) Source: The Australian and New Zealand Wine Industry Journal. V 17 (4) 59-62, Lincoln Univ., Centre for Viticulture and Oenology, Soil Plant and Ecological Sciences, Canterbury, New Zealand.
Schüepp, C., Uzman, D., Herzog, F., & Entling, M. H. (2014). Habitat isolation affects plant–herbivore–enemy interactions on cherry trees. <i>Biological Control</i> , 71, 56-64.
Schüepp, C., Uzman, D., Herzog, F., & Entling, M. H. (2014). Habitat isolation affects plant–herbivore–enemy interactions on cherry trees. <i>Biological Control</i> , 71, 56-64.
Schüepp, C., Uzman, D., Herzog, F., & Entling, M. H. (2014). Habitat isolation affects plant–herbivore–enemy interactions on cherry trees. <i>Biological Control</i> , 71, 56-64.
Schweigkofler, W., Cassar, A., & Stimpfl, E. (2008). Reduced levels of calcium and other mineral elements in leaves of grapevines infected with Bois noir. <i>Mitteilungen Klosterneuburg</i> . 58:117-122.
Scortichini, M. (2010). Epidemiology and predisposing factors of some major bacterial diseases of stone and nut fruit trees species. <i>Journal of Plant Pathology</i> . 92 (1, supplement). S1.73-S1.78
Seguin, G. (1986). Terroirs and pedology of wine growing. <i>Experientia</i> : August, 1986. V42(8): 861-871.
Serrano, M., Martinez-Romero, D., Castillo, S., Guillen, F. & Valero, D. (2004). Role of calcium and heat treatments in alleviating physiological changes induced by mechanical damage in plum. <i>Postharvest Biology and Technology</i> , 34, 155-67
Shaltiel-Harpaz, L., Kedoshim, R., Openhiem, D., Stern, R., & Coll, M. (2010). Effect of host plant makeup through nitrogen fertilization and growth regulators on the pear psylla population. <i>Israel Journal of Plant Sciences</i> , 58(2), 149-156
Shaltiel-Harpaz, L., Kedoshim, R., Openhiem, D., Stern, R., Coll, M. (2010). <i>Israel Journal of Plant Sciences</i> . Volume 58, Number 2 / 2010. Pages: 149 - 156
Sharma, G. C., Thakur, B. S., & Kashyap, A. S. (2003, October). Impact of NPK on the Nematode Populations and Yield of Plum ( <i>Prunus salicina</i> ). In <i>VII International Symposium on Temperate Zone Fruits in the Tropics and Subtropics-Part Two</i> 696 (pp. 433-436).
Sharon, R., Peles, S., Gordon, D., Harari, A. (2010). Intraspecific attraction and host tree selection by adult <i>Capnodis tenebrionis</i> . <i>Israel Journal of Plant Sciences</i> . Volume 58, Number 1 / 2010 Pages: 53 - 60
Sharples, R. (1980). The Influence of Orchard Nutrition on the Storage Quality of Apples and Pears Grown in the United Kingdom. <i>Acta Hort.</i> (ISHS) 92:17-28
Sharples, R.O. (1980). The influence of orchard nutrition on the storage quality of apples and pears grown in the United Kingdom. In: Atkinson, D., Jackson, J.E., Sharples, R.O., & Waller, W.M. (Eds.), <i>Mineral Nutrition of Fruit Trees</i> . Butterworth's, London, 17-28 pp.
Shear, C. (1975). Calcium-related disorders of fruits and vegetables. <i>HortScience</i> . 10 (4) : 361-365.
Shear, C. (Ed.). (1979). International symposium on calcium nutrition of economic crops. <i>Communications in soil science and plant analysis</i> . 10 (1&2): 89-215.
Sibbett, S., Peacock, W., & Day, K. (1996, Spring). Nitrogen: How much? When? Sun-Diamond

grower. 15 (1): 13-15.
Siddiqui, S. and F. Bangerth, (1995). Differential effect of calcium and strontium on flesh firmness and properties of cell wall in apples. <i>J. Hort. Sci.</i> , 70(6): 949-953.
Simões, M. P., Luz, J. P., St. Aubyn, A., Mexia, A., & Calouro, M. F. (2008, May). Effect Of Nitrogen Levels and Climate Factors on Susceptibility of Peach Trees to Phomopsis Amygdale. In VI International Symposium on Mineral Nutrition of Fruit Crops 868 (pp. 451-456).
Singh, S. K. (2000). Role Of Calcium On Flowering, Fruiting, Yield, Quality And Storability Of Peach ( <i>Prunus Persica</i> Batsch.) Cv. Flordasun (Doctoral dissertation, Govind Ballabh Pant University of Agriculture and Technology; Pantnagar).
Sistrunk , W. ( 1985 ). Peach quality assessment, fresh and processed . In: Evaluation of Quality of Fruits and Vegetables , H.E. Patee (ed.) AVI , Westport , pp. 1 – 42 .
Sivapalan, A., Morgan, W., & Franz, P. (1993). Monitoring populations of soil microorganisms during a conversion from conventional to an organic system of vegetable growing. <i>Biological agriculture and horticulture</i> . 10 (1): 9-27.
Smith, G. Gravett, M., Edwards, C., Curtis, J., Buwalda, J. (1994). Spatial analysis of the canopy of kiwifruit as it relates to the physical, chemical, and postharvest attributes of the fruit. <i>Annals of Botany</i> . 73:99-111.
Smith, G.D., W.C. Stiles, and R.W. Weires. (1989). The effects of ground cover manipulations on pest and predator mite populations on apple in eastern New York. N.Y. State Agr. Expt. Sta. (Geneva) <i>Food Life Sci. Bul.</i> 128.
Smith, S. R., & Hadley, P. (1992, Oct.). Nitrogen fertilizer value of activated sewage derived protein: effect of environment and nitrification inhibitor on NO <sub>3</sub> release, soil microbial activity and yield of summer cabbage. <i>Fertilizer research</i> . 33 (1): 47-57.
Smith, T. (2009). Nutrient sprays to improve fruit color. Washington State University Extension. Wenatchee, WA. 98801. [Online]. <a href="http://www.ncw.wsu.edu/frColor.htm">http://www.ncw.wsu.edu/frColor.htm</a>
Smith, T. (2012). Can Nutrient Sprays Improve Apple Fruit Color? Washington State University Extension Service [Online]. <a href="http://county.wsu.edu/chelan-douglas/agriculture/treefruit/Pages/Nutrients_for_Fruit_Color_Enhancement.aspx">http://county.wsu.edu/chelan-douglas/agriculture/treefruit/Pages/Nutrients_for_Fruit_Color_Enhancement.aspx</a>
Soil and plant tissue testing in California. (1983). Berkeley, CA: University of California, Bulletin 1879.
Southwick, S. (2004). Cultural Practices that Impact Stone Fruit Quality. Oral Session Abstracts: 101st Annual International Conference of the American Society for Horticultural Science, Austin, TX. <i>HortScience</i> , 39(4), 850.
Souza, A. B., Chitarra, M. F., Chitarra, A. B., & Machado, J. C. (2001). Effects of calcium on wound healing and resistance of peach ( <i>Prunus persica</i> (L.) Batsch cv. Biuti) to <i>Monilinia fructicola</i> (Wint.) honey. <i>Ciencia e Agrotecnologia</i> , 25, 616-624.
Spotts, R., Olsen, J., Long, L., Pscheidt, J. (2010). Bacterial Canker of Sweet Cherry in Oregon - Disease Symptoms, Cycle, and Management. Oregon State University Extension Service. EM 9007.
Sprague, H. (Ed.). (1964). <i>Hunger signs in crops</i> . New York: David McKay Company.
Stanley, D. (1993). Scientists seek limits on pear pests: success could spell expansion of U.S. commercial production areas. <i>Agricultural Research</i> , 11/1/1993: USDA-ARS Appalachian Fruit Research Laboratory, 45 Wiltshire Road, Kearneysville, WV.
Station, L.A.R. (1983) Report 1982. Long Aston Research Station. Bristol, University of Bristol, England .
Stebbins, R., Chaplin, M., Gardner, E., Doerge, T. (1982). Oregon State University Fertilizer Guide for Prunes. Oregon State University Extension Service. Publication FG 24. [Online].

<a href="http://ir.library.oregonstate.edu/xmlui/bitstream/handle/1957/23762/FGNO024.pdf?sequence=3">http://ir.library.oregonstate.edu/xmlui/bitstream/handle/1957/23762/FGNO024.pdf?sequence=3</a>
Stefani, E. (2010). Minireview: Economic Significance And Control Of Bacterial Spot/Canker of Stone Fruits Caused By <i>Xanthomonas Arboricola</i> Pv. Pruni. <i>Journal of Plant Pathology</i> (2010), 92 (1, Supplement), S1.99-S1.103 Edizioni Ets Pisa, 2010 S1.99
Stevenson, F. J. (1986). <i>Cycles of soil: carbon, nitrogen, phosphorous, sulfur, micronutrients</i> . New York: J. Wiley & Sons.
Storms, J. (1969). Observations on the relationship between mineral nutrition of apple rootstocks in gravel culture and the reproduction rate of <i>Tetranychus urticae</i> . <i>Entomologia Experimentalis et Applicata</i> . Volume 12, (3). Pg. 297-311
Storms, J. J. H. (1969). Observations on the relationship between mineral nutrition of apple rootstocks in gravel culture and the reproduction rate of <i>Tetranychus urticae</i> (Acarina: Tetranychidae). <i>Entomologia experimentalis et applicata</i> , 12(3), 297-311.
Strissel, T., Halbwirth, H., Hoyer, U., Zistler, C., Stich, K., & Treutter, D. (2005). Growth-Promoting Nitrogen Nutrition Affects Flavonoid Biosynthesis in Young Apple ( <i>Malus domestica</i> Borkh.) Leaves. <i>Plant biology</i> , 7(6), 677-685.
Sugar, D., Righetti, T. L., and Westigard, P. H. (1989). Relationship Between Densities of Pear Psylla and Two-Spotted Spider Mite and Pear Leaf Nutrient Levels. <i>HortScience</i> 24(2): 242-245.
Sugar, D., Righetti, T. L., Sanchez, E. E., & Khemira, H. (1992, July/Sept). Management of nitrogen and calcium in pear trees for enhancement of fruit resistance to post harvest decay. <i>HortTechnology</i> . 2 (3) p. 382-387.
Sugar, D., Righetti, T. L., Sanchez, E. E., and Khemira, H. (1992). Management of Nitrogen and Calcium in Pear Trees for Enhancement of Fruit Resistance to Postharvest Decay. <i>Hort. Tech.</i> 2(3): 382-387.
Suski, Z., Badowska, T. (1975). Effect of the host plant nutrition on the population of the two spotted spider mite, <i>Tetranychus urticae</i> Koch (Acarina, Tetranychidae). <i>Ekologia polska</i> , 1975.
Suslow, T., Kloepper, J., Schroth, M., & Burr, T. (1979, Nov./Dec.). Beneficial bacteria enhance plant growth. <i>California agriculture</i> . 33 (1-2): 15-17.
Swarts, N.D., Mertes, E. and Close, D.C. (2017). Role of nitrogen fertigation in sweet cherry fruit quality and consumer perception of quality: at- and postharvest. <i>Acta Hort.</i> 1161, 503-510
Swindeman, A. M. (2002). Fruit packing and storage loss prevention guidelines. Postharvest Information Network, Tree Fruit Research and Extension Center, Washington State University ( <a href="http://postharvest.tfrec.wsu.edu/REP2002D.pdf">http://postharvest.tfrec.wsu.edu/REP2002D.pdf</a> ).
Symmes, E. (2017). Almond and walnut IPM activities to start the season. <i>West Coast Nut</i> . February 2017. JCS Marketing, Fresno, Ca.
Szücs, E. (1985). Effects of fertilization on nutrient supply, yield, growth and frost hardiness of apricot trees. In VIII International Symposium on Apricot Culture and Decline 192 (pp. 137-142) July.
Tagliavini, M., & Rombolà, A. D. (2001). Iron deficiency and chlorosis in orchard and vineyard ecosystems. <i>European Journal of Agronomy</i> , 15(2), 71-92.
Tagliavini, M., Toselli, M., Marangoni, B., Stampi, G., & Pelliconi, F. (1993). Nutritional status of kiwifruit affects yield and fruit storage. <i>Mineral Nutrition of Deciduous Fruit Plants</i> 383, 227-238.
Tahir, I. I., Johansson, E., & Olsson, M. E. (2007). Improvement of quality and storability of apple cv. Aroma by adjustment of some pre-harvest conditions. <i>Scientia horticulturae</i> , 112(2), 164-171.
Takano, K. (2003). Findings of field-diagnosis based on the Brix of peaches. <i>Kikan Hiryo</i> 94: 55-61. (In Japanese).
Takeda, S., S. Hukusima, and S. Kawada. (1967). Reproduction of <i>Myzus malisuctus</i> Matsumura and <i>Aphis pomi</i> De-Geer on apple seedlings supplied with different rates of nitrogen, phosphorus and

potassium. Gifu Univ. Fac. Agric. Res. Bull. 24: 127-139
Thomas Raese, J. 1980. Mineral Content Of Anjou Pear Fruit Affected With Green Blotch. Acta Hort. (Ishs) 92:100-100
Thomidis, T., Exadaktylou, E. (2010). Effect of boron on the development of brown rot ( <i>Monilinia laxa</i> ) on peaches. Crop Protection, Volume 29, Issue 6, June 2010, Pages 572–576
Thomidis, T., Sotiropoulos, T., Karagiannidis, N., Tsipouridis, C., Papadakis, I., Almaliotis, D., & Boulgarakis, N. (2007). Efficacy of three calcium products for control of peach brown rot. HortTechnology, 17(2), 234-237.
Thomidis, T., Zioziou, E., Koundouras, S., Karagiannidis, C., Navrozidis, I., & Nikolaou, N. (2016). Effects of nitrogen and irrigation on the quality of grapes and the susceptibility to <i>Botrytis bunch rot</i> . <i>Scientia Horticulturae</i> , 212, 60-68
Thorp, T. G., Ferguson, I. B., Boyd, L. M., & Barnett, A. M. (2003). Fruiting position, mineral concentration and incidence of physiological pitting in Hayward kiwifruit. Journal of horticultural science & biotechnology, 78(4), 505-511.
Toselli, M., Marangoni, B., Malaguti, M., Sorrenti, G., Bazzi, C., Collina, M., (1994). Use of Soil-Applied Calcium Chloride to Reduce Fire Blight and Brown Spot Susceptibility of Pear Proc. XXVI IHC . Sustainability of Horticultural Systems Eds. L. Bertschinger and J.D. Anderson Acta Hort. 638, ISHS 2004
Trankner, A., & Brinton, W. (1997, May-June). Biodynamics: farming and gardening in the 21st century. pp. 7-13.
Traynor, J. (1980). Ideas in soil and plant nutrition. Bakersfield, CA: Kovak Books.
Traynor, J. (1986, November) Coping with low calcium water. Fruit Grower. 18 (11): 16A.
Trouillas, F. (2017). Diagnosis and management of canker disease in almonds. West Coast Nut. September, 2017. JCS Marketing, Fresno, Ca.
University Of Illinois. (1989). Bacterial Spot of Stone Fruits. Department Of Crop Sciences - University Of Illinois at Urbana-Champaign. Extension Service Rpd No. 810. September 1988
University of Kentucky, Lexington, College of Agriculture, Division of Regulatory Services. (1997). National Fertilizer Tonnage.. [On-line]. Available: <a href="http://www.uky.edu/Agriculture/RegulatoryServices/natonage/cf95/page6.htm">http://www.uky.edu/Agriculture/RegulatoryServices/natonage/cf95/page6.htm</a>
Utkhede, R. S. (1984). Effect of nitrogen fertilizers and wood composts on the incidence of apple crown rot in British Columbia. Canadian Journal of Plant Pathology, 6(4), 329-332
Utkhede, R. S., & Smith, E. M. (1995). Effect of nitrogen form and application method on incidence and severity of <i>Phytophthora</i> crown and root rot of apple trees. European Journal of plant pathology, 101(3), 283-289.
Vallini, M., Bianchin, A., & de Bertoldi, M. (1984, May-June). Composting agro-industrial byproducts. BioCycle. 25 (4): 43-46.
van der Zwet, T. and S.V. Beer. (1991). Fire blight—Its nature, prevention, and control. USDA Agr. Info. Bul. 631
Van der Zwet, T., and Keil, H. L. (1979). Fire Blight, a Bacterial Disease of Rosaceous Plants. U.S. Dept. Agr. Sci. & Educ. Admin. Agr. Hdbk. 510.
van Slyke, L. (1932). Fruit crops. In Fertilizers and crop production (pp. 444-461). New York: Orange Judd Publishing Co.
Vangdal, E., & Borve, J. (2002). Pre-and postharvesting Ca-treatment of plums ( <i>Prunus domestica</i> L.). Acta horticulturae.
Vangdal, E., Nordbø, R. and Flatland, S. (2005). Postharvest Calcium and Heat Treatments of Sweet Cherries ( <i>Prunus avium</i> L.). Acta Hort. (ISHS) 682:1133-1136
Vashisth, T., Olmstead, M. A., Olmstead, J., & Colquhoun, T. A. (2017). Effects of Nitrogen



Fertilization on Subtropical Peach Fruit Quality: Organic Acids, Phytochemical Content, and Total Antioxidant Capacity. <i>Journal of the American Society for Horticultural Science</i> , 142(5), 393-404.
Vaz, R. (1984). Preharvest Fruit Analysis as a Predictor of D'Anjou Pear and Yellow Newtown Apple Physiological Disorders, Storage Quality and Ripening Behavior. PhD Thesis: Oregon State Completed November 5, 1984
Verardo, V., Riciputi, Y., Sorrenti, G., Ornaghi, P., Marangoni, B., & Caboni, M. F. (2013). Effect of nitrogen fertilisation rates on the content of fatty acids, sterols, tocopherols and phenolic compounds, and on the oxidative stability of walnuts. <i>LWT-Food Science and Technology</i> , 50(2), 732-738.
Vigouroux A., Bussi C., (1999). Indirect influence of pruning on bacterial canker of the apricot tree: the probable involvement of tree water content in winter. <i>Acta Horticulturae</i> 488: 715-718.
Vigouroux, A. Berger, J., Bussi, C. (1987). La sensibilité du pêcher au dépérissement bactérien en France: Incidence de certaines caractéristiques du sol et de l'irrigation. <i>Relations avec la nutrition. Agronomie</i> 7:483-495.
Vigouroux, A., Bussi, C. (1989). Importance of water consumption on calcium content and protection of peaches predisposed to bacterial die-back by growing in acid soils. <i>Acta Hort.</i> 254:291-296
Vigouroux, A., Bussi, C. (1995). Influence of water availability and soil calcic amendment on susceptibility of apricot to bacterial canker. <i>Acta Hort.</i> 384:607-611
Vizzotto, G., Lain, O. and Costa, G. 1999. Relationship Between Nitrogen and Fruit Quality in Kiwifruit. <i>Acta Hort. (ISHS)</i> 498:165-172
Vogtmann, H., & Biedermann, R. (1985). The nitrate story - no end in sight. <i>Nutrition and health</i> . V3 (4): 217-239.
Volz, R.K., Tustin, D.S., Ferguson, I.B., (1996). Pollination effects on fruit mineral composition, seeds and cropping characteristics of 'Braeburn' apple trees. <i>Sci. Hort.</i> 66, 169–180.
Wade, G. (1956). Investigations on brown rot of apricots caused by <i>Sclerotinia fructicola</i> : the relationship of potassium status of apricot trees to brown rot susceptibility. <i>Aust. J. Agric. Res.</i> 7:516-526.
Wade, J., Holzappel, B., Degaris, K., Williams, D., & Keller, M. (2002, August). Nitrogen and water management strategies for wine-grape quality. In XXVI International Horticultural Congress: Viticulture-Living with Limitations 640 (pp. 61-67).
Wagle, P., Smith, M., Wood, B., & Rohla, C. (2011). Supplemental Foliar Nickel and Copper Applications Do Not Reduce Kernel Necrosis in Pecan Trees Receiving Excess Nitrogen. <i>Communications in Soil Science and Plant Analysis</i> . V 42:18. pages 2219-2228.
Wallace, A. (1979). International symposium on calcium nutrition of economic crops. <i>Communications in soil science and plant analysis</i> . 10 (1&2): 473-476.
Wallace, T. (1953). Some Effects of Orchard Factors on the Quality and Storage Properties of Apples. <i>Science and Fruit</i> . University of Bristol, U.K., 140-161.
Wang, Y., Xie, X., & Long, L. E. (2014). The effect of postharvest calcium application in hydro-cooling water on tissue calcium content, biochemical changes, and quality attributes of sweet cherry fruit. <i>Food chemistry</i> , 160, 22-30.
Warabieda, W., Markiewicz, M., Wojcik, D., Pulawska, J. (2015). Mutual relations between Jasmonic acid and Acibenzolar-S-methyl in the induction of resistance to fire blight ( <i>Erwinia Amylovorosa</i> ) in apple trees. <i>Journal of plant pathology</i> . Mar., V. 97, no. 1 Edizioni ETS. p. 99-108
Warfvinge, P., & Sverdrup, S. (1989, Jan/Feb.). Modeling limestone dissolution in soils. <i>Soil science of America journal</i> . 53 (1): 44-51.
Warner, G. (2007). Are organic apples better quality - A WSU study found that organic apples stored better and had higher antioxidant levels than conventional fruit. May 1st, 2007

Warner, G. (2007). Calcium deficiency is costly in pears: Growers may be losing more pears to cork spot than to insect damage. <i>Good Fruit Grower</i> Apr 15, 2007
Warner, G. (2010). Preventing pear rot - Fruit with high calcium is less prone to decay. <i>Good Fruit Grower</i> . May 15, 2010. [Online]. <a href="http://www.goodfruit.com/Good-Fruit-Grower/May-15th-2010">http://www.goodfruit.com/Good-Fruit-Grower/May-15th-2010</a>
Warner, G. (2014). Control psylla early: Returning winterforms are more susceptible to pesticides than they were in the fall. <i>Good Fruit Grower</i> . Mar 26, 2014
Warner, G. (2014). Minerals matter: Fruitlet analysis six weeks before harvest accurately predicts quality. <i>Good Fruit Grower</i> . Aug 6, 2014
Weibel, F. (1997). ENHANCING CALCIUM UPTAKE IN ORGANIC APPLE GROWING. EDs J. Val, L. Montañés, E. Monge. 1 October 1997. ISHS Acta Horticulturae 448: III International Symposium on Mineral Nutrition of Deciduous Fruit Trees. ISBN 978-90-66057-59-3
Weil, R., & Kroontje, W. (1984). <i>The nature and properties of soils: a study guide</i> . New York: Macmillan Publishing Co.
Weinbaum, S. A. (1990). Nitrogen fertilization. In: <i>Pear growing in the 1990's: proceedings of a short course held November 27-29, 1990</i> . Davis, Ca: University of California.
Weinbaum, S. A., Johnson, R. S., and DeJong, T. M. (1992). Causes and Consequences of Over-fertilization in Orchards. <i>Hort. Tech.</i> 2(1): 112-121.
Weltzien, H. (1988). The effects of compost extracts on plant health. In P. Allen & D. Van Dusen (Eds.), <i>Global Perspectives on Agroecology and Sustainable Agricultural Systems: Proceedings of the 6th International Scientific Conference of the International Federation of Organic Agriculture Movements Vol. 2</i> . (pp. 551-552). Santa Cruz, CA: University of California.
Wermelinger, B., & Delucchi, V. (1990). Effect of sex-ratio on multiplication of the two-spotted spider mite as affected by leaf nitrogen. <i>Experimental &amp; applied acarology</i> , 9(1-2), 11-18.
Wermelinger, B., Oertli, J. J., & Delucchi, V. (1985). Effect of host plant nitrogen fertilization on the biology of the two-spotted spider mite, <i>Tetranychus urticae</i> . <i>Entomologia experimentalis et applicata</i> , 38(1), 23-28.
Wermelinger, B., Oertli, J., Baumgärtner, J. (1991). Environmental factors affecting the life-tables of <i>Tetranychus urticae</i> (Acari: Tetranychidae). III Host-plant nutrition. <i>Exp. Appl. Acarol.</i> , 12: 259-274
<i>Western Fertilizer Handbook</i> (6th ed.). (1980). Sacramento, CA: California Fertilizer Association.
WFPM. (2003). <i>Diseases of Tree Fruit and Small Fruit Crops</i> . Western Forum on Pest Management. Chapter 11. [Online]. <a href="http://www.westernforum.org/">http://www.westernforum.org/</a>
Whalon, M. E., Bush, M. R., & Maredia, K. (1996). Fourth Annual Summer Institute on Global Pest Resistance Management. [Online]. July 8-19, 1996 Michigan State University. Available
Wickson, E. (1919). <i>California fruits and how to grow them</i> . San Francisco: Pacific Rural Press.
Wilcox, W., Travis, J., Seem, R., Gadoury, D. and Zitter, S. (2005). <i>The Biology, Epidemiology, and Control of Botrytis Bunch Rot</i> . A final report submitted the New York Wine/Grape Foundation, the Grape Production Research Fund And the Viticulture Consortium-East, January 18, 2005
Williams, M., Couey, H., Moffitt, H., Coyier, D. (1978). <i>Pear production</i> . Agriculture Handbook 526, U.S. Dept. Of Agriculture. Superintendent of Documents, U.S. Government Printing Office Washington, D.C.
Wills, R. B. H., Tirmazi, S. I. H., & Scott, K. J. (1982). Effect of postharvest application of calcium on ripening rates of pears and bananas. <i>Journal of Horticultural Science</i> , 57(4), 431-435.
Wilson, L. T., Smilanick, J. M., Hoffmann, M. P., Flaherty, D. L., & Ruiz, S. M. (1988). Leaf nitrogen and position in relation to population parameters of Pacific spider mite, <i>Tetranychus pacificus</i> (Acari: Tetranychidae) on grapes. <i>Environmental entomology</i> , 17(6), 964-968.
Wilson, L. T., Smilanick, J. M., Hoffmann, M. P., Flaherty, D. L., & Ruiz, S. M. (1988). Leaf

nitrogen and position in relation to population parameters of pacific spider mite, <i>Tetranychus pacificus</i> (Acari: Tetranychidae) on grapes. <i>Environmental entomology</i> , 17(6), 964-968.
Wisniewski, M., Droby, S., Chalutz, E., & Eilam, Y. (1995). Effects of Ca <sup>2+</sup> and Mg <sup>2+</sup> on <i>Botrytis cinerea</i> and <i>Penicillium expansum</i> in vitro and on the biocontrol activity of <i>Candida oleophila</i> . <i>Plant Pathology</i> , 44(6), 1016-1024.
Wojcik, P. (2001). "Dabrowicka Prune" Fruit Quality As Influenced By Calcium Spraying. <i>Journal of plant nutrition</i> , 24(8), 1229-1241.
Wolf, T. (2003). <i>Viticulture Notes - Vineyard and Winery Information Series: Vol. 18 No. 2, March-April 2003</i> . Virginia Cooperative Extension, Virginia Polytechnic Institute and State University.
Wood, B., Reilly, C. (2000). Pest Damage to Pecan is Affected by Irrigation, Nitrogen Application, and Fruit Load. <i>HORTSCIENCE</i> 35(4):669–672. 2000.
Woodruff, B. (Ed.) (1972). Calcium and clover seed production. <i>Rural research in CSIRO</i> . Canberra, Australia: Commonwealth scientific and industrial research organization. 76: 8-12
Workneh, F., van Bruggen, A.H.C., Drinkwater, L., & Shennan, C. (1994, Winter) Variables associated with corky root and <i>Phytophthora</i> root rot of tomatoes in organic and conventional farms. <i>Sustainable agriculture</i> . 6 (1): 7-8.
WSU. (1995). Powdery Mildew of Grapes. Tree Fruit Extension Team: Diseases. [Online]. <a href="http://fruit.wsu.edu/Diseases/gmildew.htm">http://fruit.wsu.edu/Diseases/gmildew.htm</a>
Young, G. (1988). Soil fertility and crop pest/disease relations. In P. Allen & D. Van Dusen (Eds.), <i>Global Perspectives on Agroecology and Sustainable Agricultural Systems: Proceedings of the 6th International Scientific Conference of the International Federation of Organic Agriculture Movements Vol. 2</i> . (pp. 601-605). Santa Cruz, CA: University of California.
Youssef, K., & Roberto, S. R. (2014). Applications of salt solutions before and after harvest affect the quality and incidence of postharvest gray mold of 'Italia' table grapes. <i>Postharvest Biology and Technology</i> , 87, 95-102.
Zoffoli, J., Gil, G., Crisosto, C. (1999). Mineral Analysis of Kiwifruit: A Potential Approach to Segregate Kiwifruit Firmness Capacity. In: <i>Central Valley Postharvest Newsletter - Cooperative Extension, University of California</i> . Kearney Agricultural Center, Parlier, Ca 93648 October 1999 Carlos H. Crisosto (Ed). Vol. 8, No. 3
500 11-10-17